DECEMBER

A TRANSMITTER WITH LOW HARMONIC OUTPUT SCIENCE IN ANTARCTICA . . . PAN PACIFIC SCOUT JAMBOREE

REMEMBRANCE DAY CONTEST RESULTS . . . FIELD DAY RULES

Amateur Radio

Aegis tested components give you superior radio performance

Here's why! Each Aegis Radio Part is assembled under the supervision of a skilled operator. Each is tested at several points along the production line. Every production step is rigidly controlled! This painstaking care is what gives a high "IQ"-INBUILT QUALITY-to Aegis Radio Paris. If you experience difficulty in obtaining Aegis Radio Components, contact the Australian agent in your State . . . see their names below,



VICTORIA:

Chandlers Pty. Ltd., Albert & Charlotte Streets, Brishane.

- B/C Aerial Coils B/C R.F. Coils
- · B/C Oscillator Colls · Loopstick, Hashcoil, Whistle
- . I.F. Transformers
- Instrument and Tuning Knobs
- · Coil Assemblies
- · Chassis Dials, Indicator Plates
- · Chokes, Sockets · Resistor Strips · Ceramic Insulators
- · High Frequency Lacquer · Extension Speakers
- Extension Speaker Control Units
- · Mains Filter
- · Aerial Filter
- · Packaged Hardware
- 4-Watt Amplifier
- 10-Watt Amplifier
- · Aegis-Mullard 5-10 Amplifier . 3-Valve Tuner, etc.

SOUTH AUST.: WESTERN AUST. George Procter, 40 Piric Street, Adelaide.

A. J. Wyle Pty, Ltd., 1864 Hay Street,

"HAM" RADIO SUPPLIERS

KEN MILLBOURN, PROP.

Bargains Galore - - Compare These Reduced Prices

NOTE THESE VALVE PRICES

	Look a	t these Bargain	Priced NEW VA	LVES-
5	2/6	6K8 15/-	7W7 5/-	VR19 2/6
	. 2/6			VR21 _ 2/6
15	. 10/-	6L7G 7/6	12SK7 10/-	VR22 _ 2/6
4	5/-	6N7 10/-	12807 2/6	VR32 _ 2/6
65	. 10/-			VR35 2/6
3	. 10/-	6Q7G 5/-	25AC5 10/-	VR38 2/6
5	10/-	6R7G 10/-	866 £1	VR86 2/6
	5/-		834 £1	VR75 15/-
	10/-		884 £1	VR102 5/-
	15/-		954 10/-	VR103 5/-
	15/-		955 10/-	VR105 15/-
	7/6		957 10/-	VR122 2/6
5	10/-	746 5/-	1625 £1	VR150 15/-
5	. 7/6	17B8 5/-	5763 25/-	VT50 2/6
6	10/-			
6	7/6	2707 2/6	U10 2/6	VT51 _ 2/6
DT2	7/6	F7E6 5/-	VR18 2/6	VT52 10/-
Full			available. Prices	on request.

VR90 Voltage Regulator, 15/-.

	Follow	ing list	are ex	Disposals,	guara	nteed-	
5 .	5/-		12/6		5/-	12A6	10
	5/-		10/-		10/-	12K8	10
	5/-	6AG5			10/-	1625	15
	10/-	6C5 6C6			15/-	CV92	15,
	5/-	6D6		68N7 _	7/6	EF50	5,

THIS MONTH'S SPECIALS RK34 7/6, 816 15/-, NFW 807, AMERICAN, £1

gift at £1. Too heavy for postage.	1021 2001 2
2.5v. or 4v. Filament Transformers	15/- each
Chokes, 15 Henry, 100 Ma	10/- each
Chokes, 15 Henry 175 Ma,	20/- eacl
2 uF. 1000v. block type Chanex Condensers	12/6
Relays, A.W.A. Aerial Change-over type, 12v.	15/-
English Carbon Mike Transformers, new	5/-

American Murdoch Headphones, 2,000 ohms DC resistance, complete with extension plug

Simulator Sets. Centains two meters 6-20v, and 6-5 Ma. 2 in aquare type. Two VEES, on VEILIS valves one vernite dial. Genemoter 11-17v, inpat, output 450v, at 40 Ma. (conservative rating) and lets of resistence, condensor, etc. £5 each later-Com. Units. Explish. Contains two valves, transformers. PAGG. Rey varieth, resistive, etc. To clear — 11/6 each Shielded Cable with two II-pin Plups — 7/6 exception of the content of t

Shielded Cable with two 12-pin Plugs 7/6
Seven-core Cable, not shielded 8d. yard
Co-ax Connectors, Ampenol type, male and female7/6 pair
Co-ax, indoor type, cotton covered
Co-ax Cable, any length, 50 ohms
Locktal Sockets
Valve Sockets, ceramic, 8-pin Octal 2/6
Valve Sockets, ceramic, 5-pin 5/-

LARGE STOCK OF CRYSTALS

100 Kc. R.C.A. Crystals

1000 Kc. Crystals, DCII holder, with two pig-tail connect., 35/-Gold Plated Marker and Commercial Crystals, price on request Delivery in seven days.

Following is a list of Crystal Frequencies available for immediate delivery. £2 each-

late delive	ery. Ez eacz	-		
2081.2 Kc.	5892.5 Kc.	7028 Kc.	7100 Kc.	8011 Kc.
2103.1 Kc.	6350 Kc.			8155.714 Kc.
				8161.538 Kc.
	7004 Kc.	7040 Kc.	7125 Kc.	8182.5 Kc.
				8183.5 Kc.
		7045 Kc.	7130 Kc.	8317.2 Kc.
3600 Rc.	7010.7 Kc.	7047 Kc.		8320 Kc.
				10.511 Mc.
				10.515 Mc.
				10.524 Mc.
	7018 Kc.	7068 Kc.	7162.5 Kc.	10.530 Mc.
	7021 Kc.	7072 Kc.	7163 Kc.	10.5465 Mc.
5456 Kc.	7921.5 Kc.	7073.5 Kc.	7174 Ke.	10.556 Mc.
5530 Kc.		7075 Ke.	7175 Kc.	
	7024 Kc.	7077 Ke.	7725 Kc.	12.915 Mc.
5750 Kc.	7825 Kc.	7080 Kc.	8009 Kc.	14.322 Mc.
	2081.2 Kc. 2103.1 Kc. 2112.5 Kc. 2218.7 Kc. 2218.7 Kc. 3382.5 Kc. 3500 Kc. 3625 Kc. 4285 Kc. 4495 Kc. 5050 Kc. 5300 Kc. 5300 Kc. 5300 Kc. 5300 Kc. 5300 Kc. 5300 Kc. 5300 Kc. 5300 Kc.	2001.2 Ke. 5005.5 Ke. 2112.5 Ke. 6175 Ke. 2112.5 Ke. 6175 Ke. 2218.1 Ke. 6456 Ke. 7010 Ke. 3235 Ke. 7010 Ke. 4235 Ke. 7010 Ke. 5250 Ke. 7011.7 Ke. 5250 Ke. 7018 Ke. 5250 Ke. 7018 Ke. 5250 Ke. 7021 Ke. 7	21011 No. 6150 No. 70935 No. 2011 No. 21113 No. 6150 No. 70935 No. 21113 No. 70935 No.	2881.5 Kc. 5892.5 Kc. 7028 Kc. 7100 Kc. 21123 Kc. 6275 Kc. 7027 Kc. 7100 Kc. 21123 Kc. 7027 Kc. 7100 Kc. 21123 Kc. 6275 Kc. 7100 Kc. 21123 Kc. 6275 Kc. 7100 Kc. 21123 Kc. 7020 Kc. 7100 Kc. 710

5A MELVILLE STREET, HAWTHORN, VICTORIA

North Balwyn Tram Passes Corner, near Vogue Theatre.

Phone: WA 6465

Money Orders and Postal Notes payable North Hawthorn P.O. Packing Charge on all goods over 10 lbs. in weight, 1/- extra.

Closing 24th Dec., Re-opening 9th Jan.

DECEMBER - - 1955 Vol 23

No 19

EDITOR:

T. D. HOGAN, VK3HX.

MANAGING EDITOR: J. G. MARSLAND, VK3NY.

TECHNICAL EDITOR: K. E. PINCOTT, VKSAFJ.

TECHNICAL STAFF: J. C. DUNCAN, VK3VZ.

D. A. NORMAN, VK3UC. R. S. FISHER, VK3OM.

COMPILATION: R. W. HIGGINBOTHAM, VKSRN.

CIRCULATION:

I. K. SEWELL, VK3IK. ADVERTISING REPRESENTATIVE:

BEATRICE TOUZEAU. 96 Collins St., Melbourne, C.1. Telephone: MF 4505

PRINTERS:

"RICHMOND CHRONICLE,"
Shakespeare St., Richmond, E.1.
Telephone: JB 2419.

MSS, and Magazine Correspondence should be forwarded to the Editor, "Amsteur Radio," C.O.R. House, 191 Queen Street, Melbourse, C.1, on or before the 8th of each month.

Subscription rate in Australia is 12/- per annum, in advance (post paid) and A15/- in all other countries.

Wireless Institute of Australia (Victorian Division) Rooms' Phone Number is MY 1087.

WI BROADCASTS

All Amsieurs are urged to keep these frequencies clear during, and for a period of 15 minutes after, the official Broadcasts.

VK3WI: Sundays, 1100 hours EST, 7146 Kc. and 2000 hours EST 50 and 144 Mc. No frequency checks available from VK3WI. Intrastate working frequency, 7135 Kc.

Victoria Sundaya, 1133 hours EST, simultan-cously on 1873 and 7148 Kc., 5L018 and 146.28 Mc. Intrastate working frequency 7138 Kc. Individual frequency checks of Amateur Stations given when VKIWI is on the air.

as on use air.

Wawii: Sundays, 0608 hours EST, air county on 3680 and 14342 Ke. 38 channel is used from 0815 hours hours each Sunday for the Country hook-up. No frequency svalidable.

VRSWI: Sundays, 1009 hours EAST, on 1146 Kc. Frequency checks are given by VKSMD and VKSWI by arrangements on all bands to 50 Mc. WESWI: Sundays, 0830 hours WAST, on 1146 Ke. No frequency checks available.

VETWI: Sundays, at 1000 hours EST, on 7145 Kc and 146.5 Mc. No frequency checks are available. VR9WI: Sundays, 1000 hours EST, simultan-eously on 2.5, 7, 14 and 144 Mc. Individual fraquency checks of Amateur Stations given when VKSWI is on the str.

AMATEUR RADIO

JOURNAL OF THE WIRELESS INSTITUTE OF AUSTRALIA

Published by the Wireless Institute of Australia. C.O.R. House, 191 Queen Street, Melhourne C1

EDITORIAL

BALANCE

Those who have operated push-pull amplifiers know the need for maintaining proper balance in the drive applied to the final. Lack of balance leads to loss of efficiency, in fact, a waste of drive and power innut

It is not only in strictly technical matters that we have to aim for balance; we have to look at ourselves critically from time to time to see that we are keeping a proper balance in our approach to Amateur Radio. The Amateur's Code is clear and exceedingly concise on the matter. It sets out in no uncertain terms to remind us that Amateur Radio is a hobby and, as such, it should not be allowed to interfere with the duty owed to the home, to the job or to of our Society. A balanced outlook is particularly necessary here.

What about your view of other Amateurs? Do you scorn the c.w. operator as a purveyor of smoke signels in an atomic age or do you accept the fact that he is having a lot of fun without taking up much of the band? Do you growl at an s.s.b. operator for putting out an unreadable signal when all that's wrong readable signal when all that's wrong is that you haven't mastered the technique for copying this method of transmission? Or are you such a confirmed brass pounder that you regard every phone operator as a potential splatterer?

We must also make sure that the Institute itself, as the representative body of the Australian Amateurs,

acts in a level-headed way on all matters that come within its scope. Particular topics may, from time to time, require urgent action and may the Institute's responsibility, but every individual action has to be re-lated to the Institute's main objectives—to uphold the status of the Radio Amateur and to foster a friendly spirit among Amateurs.

The democratic constitution of the Institute gives every member the opportunity to express his views and to help in guiding the Institute along a proper course. With that opportunity goes the responsibility for the concerted action of the members. It is in responsibility for action that the need for a balanced outlook is most necessary. A balance that allows for the relationship between the Institute and the public will ensure that the drive put into our hobby produces the most efficient output in terms of interest in our hobby and maintenance of the high standing of the Radio Amateur in the eyes of the nublic

The season for making resolutions is nearly here. Let us all resolve to maintain a balanced approach to the problems of the coming year. With the approach of the festive season, the Federal Executive on behalf of the Federal Council wish you all— A MERRY CHRISTMAS AND A

HAPPY NEW YEAR. FEDERAL EXECUTIVE

THE CONTENTS

Science in Antarctica Handy Index to "AR" Technical Articles-1945-55 Pan Pacific Scout Jamboree 1955-

A Transmitter With Low Harmonic Output—Part Three— Speech Amp. and Modulator . 11 1955 Remembrance Day Contest

National Field Day, 1956, Rules .. 14

Television Station Operators' Certificate of Proficiency DX Activity by VK3AHH

Fifty Megacycles and Above S.w.l. Section Trade Review-Plated Crystals ... Federal, QSL, and Divisional

Notes 19 Prediction Chart for Dec., 1955 21 Index to Volume 23—1955 24

SCIENCE IN ANTARCTICA

BY HANS J. ALBRECHT,* VK3AHH

BLIZZARDS up to 100 miles per hour, drifting snow and a desert of ice drifting snow and a desert of ice and rocks as far as the human eye can reach—this is Antarctical And yet, this mighty sixth continent may show a friendlier face; bright sunshine and fine weather are not uncommon.

No doubt, it is cold down there! In winter nights, temperatures drop to as low as —25 degrees Fahrenheit. Even in summer, Mawson is no Queensland holiday resort! Maximum temperatures are in the vicinity of 40 degrees.

And why, then, is this huge block of ice of any interest to us? The human race has always been inquisitive. Are we not planning space ships to investigate other planets and the space outside the earth? The age of discoveries belongs to the past, but it is still human objective to gain thorough knowledge of every spot on our own globel

Famous explorer, Captain James Cook, set the Antarctic ball rolling as as 1774. Since then, numerous scientific expeditions were successful in widening human knowledge on Antarc-tica. The establishment of the Antarctic research base at Mawson aims at continuing and extending these inves tigations in conjunction with the work

done by other nations.

When the research programme com-menced early in 1954, the immediate goal was the collection of data to form a sound basis for future expeditions on the mainland. Prior to this, much pre-liminary work had been done in the sub-Antarctic region. In 1947-48 permanent stations were set up on Heard and Macquarle Islands, of which the latter is still in operation.

Since 1949, the entire research programme has been directed, planned, and arranged by Mr. Phillip G. Law, Director of the Antarctic Division, Department of External Affairs. In his capacity as leader of the annual Australian expeditions, Mr. Law is also responsible for the all-important overall direction of actual research, work wars. direction of actual research work per-formed at the research stations of Macquarie Island, Heard Island (until 1955) and Mawson.

Mr. Law is ably assisted by scientific personnel trained and experienced in all relevant fields of Science. To help towards successful evaluation of Antarctic data and adequate equipment of expeditions, experts of other scientific institutions are actively engaged in co-operative work.

Although the permanent research sta-tion was established only in 1954, observations so far already show some conclusive results. The additional equipment installed early in 1955, and research programme planned for 1956 promise outstanding results. The pro-gramme may be subdivided into four main groups, namely, Geophysics, Geology, Meteorology, and Biology.

Australia intends considerable re-search contributions to the International Geophysical Year 1957-58, when physicists of all nations will concentrate on * 10 Belgravia Ave., Box Hill North, E.12, Vic.

world-wide geophysical investigations The expansions planned for 1956 necesmore special equipment. aircraft will be stationed at the Australian research base. Their value is unquestionable for aerial investigations and assistance to field work. In addition, other important auxiliary equip-ment will soon be shipped to the icy continent.

GEOPHYSICS

Under this heading, let us have a closer look at investigations in Radio Physics and Ionosphere, Geomagnetism, Seismology, and observations of Aurora and Cosmic Rays. The first mentioned branch refers mainly to upper atmos-pheric research. Well known applica-

that a wave having been reflected vertically by the layer can be received in the normal fashion. The height of a layer is determined by the total time taken by the wave. The intensity of taken by the wave. The intensity of the reflected signal allows information to be obtained on the characteristics of to be obtained on the characteristics of the layer. Each of the ionospheric lay-ers, i.e. E, F1 and F2 layers, is capable of vertical reflections up to a certain frequency, its critical frequency. To investigate variations of this frequency, the transmitter and receiver are equipped for continuously-variable operation between 1 and 20 Mc., say.

The simplest methods use manually controlled tuning and band-switching of a single stage transmitter and an appro-



The indication is receiver.

tions of Radio Physics are height measurements of the different ionospheric phenomena and the prediction of same. Obviously, observations of propaga-

tion have practically been carried out by the radio communication work. During 1954, Mawson kept in constant touch with Sydney, Perth, Heard Island, and South Africa, for the purpose of met-eorological and normal telegram traffic. Improvements being contemplated additional communication equipment will be set up early in 1956

During the International Geophysical Year 1957/58 recordings of ionospheric layers will be taken at Mawson by means of an ionospheric recorder. At this stage it is advisable to briefly re-

view various types of such equipment. Fundamentally, a complete ionos-pheric recording unit consists of transmitter, receiver, and indicator, for the study of ionospheric reflections. The

achieved by a cathode ray oscillograph whose trace can be utilised for photo-graphic recording. The presence of a person being required, this type is more suitable for single observations of special phenomena.

Another type consists of a two or Another type consists of a two or three stage transmitter with automatic mechanical tuning. Special attention must be given to automatic bandswitching. The main problem is adequate mechanical and electrical tracking of the whole device. However, accurate recording can be obtained by this method. A German recorder is known to have a total frequency range of 1-16 Mc., being tuneable in a period of eight minutes.

The third method uses a fixed pulsemodulated signal on about 30 Mc. and a variable oscillator with a range of 31-50 Mc. Both frequencies are mixed, thus resulting in a total range of 1-20 Mc. being covered without bandswitching. If wide-band amplification is employed, the only variable component is the oscillator 31-30 Mc. The many control of the control of

The fundamental disadvantage of covering the entire range in a relative-by short space of time is the inability of detecting eventual multiple vertical of detecting eventual multiple vertical of the control of the co

be of this type.

The study of Ionospheric Winds has a comparation of this branch. Up to now, the only possible method of measuring winds in a height of 46-46 miles is the observament of the property of the comparation of the property of the comparation on their path through the state of the comparation of the com

The operating frequency of such equipment is usually in the vicinity of 30 Mc. The use of an accurate beam antenna allows the direction to be determined. By employing pulse modulation, both transmitter and receiver may be installed at the same place. The installation of equipment of this type at Mawson is planned for 1956.

Another branch of Geophysics is call-i Geomagnetism, thus denoting the Science of the earth's magnetism. Let us recall that our good globe may be regarded, for demonstration purposes, as a magnetic solenoid, its poles being in the proximity of the geographical poles. Therefore, lines of force indicate curved paths, similar to those of a normal mag-netic solenoid, and end at the poles. Without question, magnetic observations are of extreme interest in the regions close to the poles. Subdividing the total magnetic intensity into vertical and horizontal components, the latter obviously shows a much smaller intensity in polar regions than in, e.g. our latitudes. For this reason the vertical component is measured and forms, together with observations of inclination and declination, the scientific information on geomagnetic characteristics. Following preliminary investigations of the vertical intensity in 1954, a complete magobservatory will commence full operation in 1956.

Seismology is the Science concerning studies of earth tremors. The seismograph is the main instrument for obtaining data on maximum velocity and acceleration amplitude and direction of any vibration of the ground at and in a distance from the seismological observatory. The instrumental set-up at Mawson does not differ, in principle, from used elsewhere. Seismographs normally consist of a heavy mass being flexibly connected to a frame which is fixed to the ground. Seismie vibrations cause the heavy mass to attain a movement relative to the frame. Amplitude and other characteristics of this movement may then be recorded. The recording can be achieved by a simple recording pen or by optical means. Also, the measurement of capacitance variations against a fixed plate can be utilised as indicator.

One of the most spectacular aerial displays is the Aurora. It normally appears in the form of a band or arc of more or less coloured light with rays of light streaming towards the band or arc. These may be pulsating or station-

changes in the magnetic intensity, due to extraordinary movements of electrons and ions within the magnetic field of the earth. In most cases, ionospheric and magnetic storms accompany each other. Such storms occur more frequently in polar regions than in other

quentry in polar regions than in other Canchiding our general discussion of the autora, mention must be made of the obvious relation between the eleventers of the control of the control

Although the study of Cosmic Rays actually belongs to Nuclear Physics, its



inside the Radio Hut; the relief party has arrived: Eric mackin, Vallen, taking over from Bill Storer, VK1EG.

A.M.A.R.E. Photo by George Lowe,

ary. Very small particles, with electrical horze, so-called solar corpuscles, origiinate from the nun and reach the arisinate from the nun and reach the ariswith high velocity. The magnetic field of our planet cashes their diversion tothe solar corpuscles, the molecules of the atmospheric gas emit rays of visible entered by the maximum distance the corpuscies can penetrate into the earth's strengther. A minimum beight of 50 strengther is a comparable to the corpuscies can penetrate into the earth's

As has just been indicated, the frequency of occurrence of the aurorae is much higher in the polar regions. However, observations beyond these zones may be possible when the influx of solar corpuscles is particularly

It is interesting to note that aurora displays are a visible indicator of ionospheric disturbances. The solar corpuscles also cause magnetic storms, i.e. abrupt discussion here is justified by its comice Rays were discovered about 45, years ago, and the comice Rays were discovered about 45, years ago, and in the committee of the considerable energy, viz., Frotons, Albertander, etc., pass from space into considerable energy, viz., Frotons, Albertander, etc., pass from space into the considerable energy, viz., Frotons, Albertander, except the considerable energy, viz., Frotons, and the stronghers, resulting in modification and the considerable energy others, Mesons—particles with 100 to 800 times the mass of without the stronghers, resulting in the considerable energy of the considerable energy

chamber are used for such observations.

The latter allows the track of a charged

particle to be observed. A number of

MODEL "1XA" CRYSTAL MICROPHONE INSERT



AUSTRALIAN MADE - - FOR AUSTRALIAN CONDITIONS







FITTED WITH PLATED REAR SHIELD TO ELIMINATE HUM PICK-UP

- Patented crystal unit guarantees outstanding efficiency and performance,
- Protected against ingress of moisture with approved moisture sealed crystal element.
- Small compact lightweight durable.
- Will not blast from close speaking.
 Precision engineering ensures realistic.
- Precision engineering ensures realistic reproduction and high output with long life and dependable operation.
- The only unit available with a genuine sintered metal filter,
- Good high frequency response ensures excelcellent speech reproduction.
- Aluminium diaphragm mechanically protected and frequency controlled by "Zephyrfil" filter.
- and frequency controlled by "Zephyrfil":
 Australian made throughout,
- Only carefully selected cements used throughout, to suit Australian climatic conditions.

TECHNICAL DETAILS

Rochelle sait crystal microphones are perhaps the most widely used for all types of service where quality speech and music reproduction at high output levels is a requirement. They are dependable in performance and when fitted with the appropriate "Zephyriff" filter, their frequency response may be adjusted to suit any application or requirement.

This crystal microphone requires to be terminated with a high value parallel load of the order of 1 to 5 mesohms for best results.

The mass of the moving parts is small, hence the sensitivity is high and a high efficiency is achieved. Light gauge solder lugs are provided so that excessive heat in soldering will not be transmitted to the crystal element.

When mounted in a microphone cage, it is recommended that the insert be suspended in rubber, to eliminate shock and vibration.

One of the connecting lugs is directly connected to the case and care should be taken to solder the metal shield of the microphone cable to this solder lug, keeping the unscreened portion of the centre conductor as short as possible to eliminate hum pick-up.
All crystal chements are mounted on high grade suspendence.

All crystal elements are mounted on high grade suspension pillars, being fixed thereto with a good quality cement, thus ensuring stability and long life.

Case 1i diameter (rear), I thickness, 1-13/18" overall diameter (front) with filter fitted.

Output Level = -Impedance = 1

Frequency Response = 60-6,500 c.p.s.

= -45 db (0 db = 1 volt/dyne/cm²) = Model 1XA Grid 1 - 5 megohms.



Approximate Frequency Response Curve

AVAILABLE FROM ALL LEADING TRADE HOUSES

ZEPHYR PRODUCTS PTY. LTD. 58 HIGH STREET, GLEN IRIS, VIC. (Box 2, Armadale P.O., Vic.) Phone: BL 1300

Gelger counter tubes can be set up as a so-called Geiger counter telescope, the coincidence detector principle being utilised. One method of recording is the hourly photograph of an electrical counting system

GEOLOGY

Geology is another important branch of Antarctic research. In addition to investigations into the petrological and continent itself, search for mineral de-posits has been the task of all expedi-As in other fields. Australia's contribution is considerable and promises good results.

The continent as a whole has been found to contain valuable minerals. tributing nations, deposits of the folcovered: coal, titanium, iron, copper, molybdenum, lead, antimony, zinc, and even traces of gold

METEOROLOGY

There is hardly any country beside Australia with more justification to setting up a meteorological research station in Antarctic regions. Australian weather forecasting has always been handicapped by the lack of observing stations between the virtual origin of cold air masses and this country. However, any reasonable and respectable prophecy is based on accurate and plentiful observations spread over as wide an area as possible. As is generally known, data thus obtained are sent by radio to the meteorological centre where they are evaluated and entered in a weather map. The meteorologist then determines forms and possible paths of cyclones and anti-cyclones depicted on the map, and subsequently issues the forecast. If a sufficient number of observations is not obtainable. the meteorologist's work is far more difficult and can even be deformed to rather unscientific prophecy

Observations at ordinary meteorological stations include measurements of temperature, humidity, barometric preswind velocity, and wind direction. All these components can be recorded continuously by simple recording in-struments. Surface stations use normal thermometers, hygrometers, barometers, and thermographs, hygrographs, and barographs for recording. Mechanical barographs for recording. Mechanical or electro-mechanical wind recorders are utilised for investigations of the

Miniature automatic stations socalled radio sondes-are sent up into the atmosphere. A small transmitter continuously radiates data on the air layers penetrated by the sonde. A special recorder is connected to the radio sonde receiver at the ground station.
There are a number of possible operating systems of radio sondes. The sonde type used in Australia measures three components and contains a single stage transmitter on 72 Mc. which is modulated by an audio oscillator. Both temperature and humidity act on different resistors in the audio oscillator thereby changing its frequency. The third component—the barometric pressure—causes a contact arm to slide are alternatively connected to temperature or humidity resistor, respectively. Thus the frequency of changing from one of these components to the other is an indication of the barometric pressur With this type of radio sonde, the v.h.f. carrier frequency remains unchanged. It is, however, subject to instability usually encountered with single stage transmitters in v.h.f.

During 1954, the upper-air research at Mawson was confined to ascents of pilot-balloons. The path of such a balloon is watched by personnel at the in general by visual ground station means only. This year brought about the installation of complete radio sonde equipment. As far as can be foreseen, 1956 will see the operation of a more advanced type of radio sonde. Its oper-ating frequency is around 400 Mc., which allows accurate direction-finding to be performed by a beam type of antenna. Consequently, this type of radio sonde can also be used for observing



A.N.A.R.E. Photo by Phillip Law

the actual path of the radio sonde Considering the fact that heights of 60,000 ft. are quite normal for radio conde ascents it can easily be realised that comprehensive studies of upper-air winds are possible. This can be of enormous importance to Antarctic to Antarctic research

It is usually impossible to base climatic information of any place in the world on less than at least two years records. However, some of the readings obtained at Mawson in 1954 are certainly interesting. The air temperature can be around 40 degrees (Fahrenheit) in summer; obviously, such relatively high values are only reached sporadi-cally. And, of course, you cannot imag-ine a block of ice as large as Antarctica to remain lukewarm in winter. While previous expeditions have proved that temperatures down to -77 degrees can be expected, the 1954 Mawson observations show minimum values in the vicinity of -25 degrees.

As reported in the log of the 1954 team, winds can be rather unfriendly, in fact you do not call them winds anyhave been recorded. These, in addition to drifting snow, are the most unpleasant climatic conditions observed

One of the main objectives of world meteorological research is the establishment of reliable methods of long-range weather forecasting. It seems that satisrelatory principles can only evolve from more detailed investigations of large-scale heat economy. This mainly comprises evaluations of the fundamental meteorological data mentioned above in addition to research in other related The most important additional quantity is the solar energy received by the earth's surface. There is certainly the earth's surface. There is certain, some truth in the statement that "the good sun is the driving force behind the weather of our globe." And investigaweather of our globe." And investigaparticular interest in Antarctica, because very little has so far been done in this

In principle, such measurements are concerned with the two fundamental kinds of radiation: the incoming radiation produced by the sun, and the earth's surface.

As the first quantity results in a relaination has been no problem to scientists ination has been no problem to scientists for the last 100 years. However, the situation is entirely different with the latter quantity, which only comprises a relatively small amount of energy in a different spectral range. Thus its measurement is somewhat problematic. Untill recently, only complex laboratory apparatus were capable of adequate readings. Some five years ago, however, this situation was remedied by the invention of a new principle enabling handy, robust and yet sensitive field instruments to be designed. This develop-ment was done in Australia. The 1954 expedition at Mawson utilised, with outstanding success, a special Antarctic type of this instrument. The evaluation of the data promises equally excellent

As is undoubtedly known to readers, scientific fields overlap each other, to Radiation research some extent. also be regarded as Geophysics. Likewise could the following subject-Glaciology-have been dealt with under the heading Geophysics

Glaciology is the Science of glaciers. glacial ice, glacial formation, etc. The glaciological research work. Such work normally consists of observing changes in glacial characteristics, and measuring temperatures at certain depths and other quantities. Changes are best observed by marking existing characteristics.
Special types of electrical thermometers are employed for measurements within the ice.

BIOLOGY

Seals, sea birds, penguins, and whales are well known members of Antarctic animal life. Investigations include studies of species, migrations, life cycles, population, and other characteristics of the animals mentioned. Vegetation is restricted to lichen, mosses, and algae. A detailed biological research program-me will commence at Mawson in 1856. Work so far has been of a preliminary

Handy Index to "AR" Technical 5-55

Trailly much		
Several months back we from a VK4 member an index nical articles covering "A.R." October, 1948, Until we checke	recei of to back d it.	ved ech- to we
had every intention of publisi However, a close check show many alterations and additions we needed to make it suitable for	ed rould publ	it. that i be ica-
Several months back we can a W.4 member an index of Cotober, 1948. Until we checke had every intention of publis However, a close check show needed to make it suitable for intention. The project was about to idoned when a member of "A.1 muderlook more of the control of the cotober of the co	ling to 1	taff an 945.
and those who checked the work also remain unknown.—Ed.	ne i	aea
ANTENNAE, ANTENNA TUI UNITS, ETC.	NIN	G
Antenna for the S.w.l. Antenna System for General Use	Jul. Mar	'55
Balanced Impedance Matching for Aerial Coupling	Aug Aug	.'50 .'50
Clearing the Ether Series II -	Apr Jun Jun	
Part IX.—Antenna Tuner Compact 40 Metre Antenna Construction of a Cheap Beam Current Distribution and Im-	Jun	. '51 . '55
pedance Ratios in Folded Dipoles	Маз	
Frequency Beams	Nov	.'45
Emerg. Network W.I.A. Ant. Extended Lazy H Antenna Folded Dipole	Oct. Oct. Feb	155
Foolproof Antenna Tuning- Final Loading System	Jan.	'53
G8PO Aerial	Oct. Jun Jan.	. '52 '52
Harmonic Reduction with Stubs Hints and Kinks—	Apr	. '49
Feeder Spreaders Preventing Metal Fatigue in Beam Elements	Mar	
Weatherproofed Ribbon Feed Line "Lenfo" Series Phased Array Let's Build a Tower	Apr Jan Aug	. '55 '50
Let's Build a Tower Lightning Protection for Trans- mitting Antenna		
Low Cost Hydraulic Beam	Nov	
Rotator Mobile and Emergency Antenna Multiband Antenna Coupler	Nov Mar Nov Dec	. 53 . 53
Orientation of Beam Antennae Presence of Standing Waves in Wooded Country	Nov	
	Jun	
Beam Rotator Quarter Wave Matching Stubs' Impedance Calculations Resistance of Folded Dipoles Rotatable Beams on a Wind-	Jan. Oct.	
mill Tower Series or Parallel Tuning Series Phased Aerial Arrays	Dec Mar May	. '50
Short Circuits-Motor for Ro-	Aug	. 48
Six Dave a Week but not on	Jun Jul	
Wash Days (rotary beam) Six Element Rotary Beam for 188 Mc.	Jul	

	cai	
Skeleton Slots	P-L 10	
More About Skeleton Slots	Feb. '5' Oct. '5'	* 5
Skeleton Slot Antenna	Apr. '5	5
Some Measurements of the Im-		
pedance Multiplication Factor of Folded Dipoles	Ton 241	,
Special Multihand Antenna	Jan. '41 May '51	
The Complete Amateur— Aerial and Feed Lines Aerial Tuning Unit Newcomer's Introduction to		
Aerial and Feed Lines	Jul. '5	4
Aerial Tuning Unit	May '5	
	Nov. '54 Oct. '53	¢
The QH (Quick Heading) Beam The Quad Beam	Oct. '5: Jan. '4	ż
The Quad Beam	Jan. '49	9
Turning Indicator for Rotary Beams	Dec. '41	
Twin Doublet Antenna with	-	
Alternative Phasing	Feb. '5	2
Twin-Lead "Sprigs" (two an- tennae to one feed line)	Apr. '5	
Two Worthwhile Antennae (Windom and 6-2 Metre) Tx Hunting Shielded Loop "Unfolding the Folded Dipole"	Feb. '5' Mar. '5' May '4'	2
Tx Hunting Shielded Loop	Mar. '53	3
"Unfolding the Folded Dipole" V.h.f. Antenna	May 4	7
	Apr. '4' Nov. '5	'n
21 Mc. Antenna	Nov. '52 Jul. '52	2
VK3WI Array for 144 Mc. 21 Mc. Antenna 3 El. 14 Mc. Rotary Beam 80 Metres and How	Jul. '53	3
80 Metres and How	Mar. '48	9
AUDIO FREQUENCY EQUIP	MENT	
Amplitude Modulation	Oct. '48 Jan. '51	3
Care of Crystal Microphones Carrier Control with Self Bias-	Jan. '51	L
Carrier Control with Self Bias-	Apr. '51	
sed Clamp Tube Modulator Clamp Tube Controlled Carrier	Apr. o	,
for Screen Grid Finals (see erratum in March)		
for Screen Grid Finals (see erratum in March) Clearing the Ether, Series II.— Part X.—Audio System	Feb. '52	2
Clearing the Ether, Series II	Term 141	,
Part XIModulator Unit	Jun. '4' Sep. '4'	,
Part X.—Audio System Part XI.—Modulator Unit Compact 75 Watt Modulator	OCT. 21	9
Diode F.M	Jan. '51	3
Driving Zero Bias 807s		
Dual Grid Modulation	Mar. '51	3
Hints and Kinks Matching Low Impedance Phones	May '5	
Low impedance Phones	may or	:
Inexpensive Microphone Case Logarithmic Compressor	Feb. '45 Oct. '55 Oct. '55	'n
Low Level Audio Peak Clipper	Oct. '51	3
Mobile Medulator		
	Apr. '51	3
Mobile Modulators	Apr. '51 Mar. '51	l
Mobile Modulator	Apr. '51 Mar. '51 Dec. '41	
Modulation Relationships Parallel Cathode Modulation	Apr. '51 Mar. '51 Dec. '41 Apr. '45	3
Parallel Cathode Modulation Plate Modulating the Beam	Apr. '51 Mar. '51 Dec. '41 Apr. '45	3
Modulation Relationships Parallel Cathode Modulation Plate Modulating the Beam Tetrode Pointers on Good Qual, Phone	Apr. '51 Mar. '51 Dec. '41 Apr. '45	3
Modulation Relationships Parallel Cathode Modulation Plate Modulating the Beam Tetrode Pointers on Good Qual. Phone Practical Design for Speech	Apr. '51 Mar. '51 Dec. '41 Apr. '41 Mar. '41 Jul. '51	3
Modulation Relationships Parallel Cathode Modulation Plate Modulating the Beam Tetrode Pointers on Good Qual. Phone Practical Design for Speech Amplifier	Apr. '51 Mar. '51 Dec. '41 Apr. '45	3
Modulation Relationships Parallel Cathode Modulation Plate Modulating the Beam Tetrode Pointers on Good Qual. Phone Practical Design for Speech Amplifier	Apr. '5: Mar. '5: Dec. '4: Apr. '4: Mar. '4: Jul. '5: Aug. '4:	882
Modulation Relationships Parallel Cathode Modulation Plate Modulating the Beam Tetrode Pointers on Good Qual. Phone Practical Design for Speech Amplifer Premodulation Clipping and Filtering Purloined Teastrainer (micro-	Apr. '51 Mar. '51 Dec. '41 Apr. '41 Mar. '41 Jul. '51 Aug. '41 Feb. '51	8 2 8
Modulation Relationships Parallel Cathode Modulation Plate Modulating the Beam Tetrode Pointers on Good Qual Phone Practical Design for Speech Amplifier Premodulation Clipping and Purloined Teastrainer (micro- phone case)	Apr. '5: Mar. '5: Dec. '4: Apr. '4: Mar. '4: Jul. '5: Aug. '4:	8 2 8
Modulation Relationships Parallel Cathode Modulation Plate Modulating the Beam Tetrode Good Qual Phone Design for Speech Amplifer Premodulation Clipping and Filtering Purloined Teastrainer (micro- phone case)	Apr. '51 Mar. '51 Dec. '41 Apr. '41 Mar. '41 Jul. '55 Aug. '41 Feb. '51 Dec. '59	8 2 B
Modulation Relationships Parallel Cathode Modulation Plate Modulating the Beam Tetrode Pointers on Good Qual. Phone Practical Design for Speech Amplifler Permodulation Clipping and Fillering Terrionized Teastrainer (micro- Particulation Clipping and Fillering Ref Filler for Speech Amplifler Clipoer	Apr. '51 Mar. '55 Dec. '41 Apr. '41 Mar. '41 Jul. '52 Aug. '44 Feb. '51 Dec. '55 May '51 Feb. '61	8 2 B L S
Modulation Relationships Parallel Cathode Modulation Plate Modulating the Beam Pointers on Good Qual. Phone Practical Design for Speech Amplifier Premodulation Clipping and Premodulation Clipping and Purloined Teastrainer (micro- phone case) RC Filter for Speech Amplifier Clipper Clipper Clipper Clipper Reducing Solater	Apr. '51 Mar. '51 Dec. '41 Apr. '41 Mar. '41 Jul. '51 Aug. '41 Feb. '51	8 2 B L S
Modulation Relationships Parallel Cathode Modulation Plate Modulating the Beam Pointers on Good Qual. Phone Practical Design for Speech Premodulation Clipping and Filtering Purloined Teastrainer (micro- Que Premodulation Clipping and Filtering Purloined Teastrainer (micro- Clipper Reducing Hum Reducing Hum Reducing Hum Reducing Hum Reducing Speech Amplifer Reducing Speech Amplifer Reducing Speech Range in	Apr. '51 Mar. '51 Dec. '41 Apr. '41 Mar. '41 Jul. '52 Aug. '41 Feb. '51 Dec. '55 May '51 Aug. '51 Aug. '51	8 2 B L B L B D
Modulation Relationships Parallel Cathode Modulation Period Control of the Period Control President of Control President of Control Premodulation Clipping and Filtering Premodulation Clipping and Filtering Robert Teastrainer (micro- phone case) RC Filter for Speech Amplifier Reducing Hum Reducing Splatter Reducing Splatter Reducing Splatter Restricting Speech Range in	Apr. '51 Mar. '51 Dec. '41 Apr. '41 Mar. '41 Jul. '52 Aug. '41 Feb. '51 Dec. '55 May '51 Aug. '51 Aug. '51	8 2 B L B L B D
Modulation Relationships Parallel Cathode Modulation Plane Modulating the Beam Plane The Modulation Clipping and Plane Modulation Clipping and Relating Paraloined Teastrainer (micro- Clipper Reducing Spetch Ampilifer Clipper Reducing Spetch Restricting Spetch Ampilifers Retricting Speech Range in Speech Ampilifers Ribbon Merophosom Modulation	Apr. '51 Mar. '51 Dec. '41 Apr. '41 Mar. '41 Jul. '52 Aug. '41 Feb. '51 Dec. '55 May '51 Aug. '51 Aug. '51	8 2 B L B L B D
Modulation Relationships Partialle Cathods Modulation Partialle Cathods Modulation Partial Cathod Modulation Department of Commission of Cathod Modulation Periodical on Good Caula Photos of Clipping and Pillerian Cathod Cathod Modulation Reducing Splatter (micro-phone cast) Reducing Splatter Modulation Splatter Modulation Speech Amplifer Reducing Splatter Respect of Cathodo Microphone Robbon Microphone Ribbon Microphone Ribbon Microphone Robinson Springer on With Audio Response	Apr. '55 Mar. '51 Dec. '45 Apr. '46 Mar. '41 Jul. '55 Aug. '46 Feb. '57 Dec. '56 May '51 Feb. '57 Dec. '46 Nov. '44 Aug. '57	82 8 1
Modulation Relationships Partialle Cathods Modulation Partialle Cathods Modulation Partial Cathod Modulation Department of Commission of Cathod Modulation Periodical on Good Caula Photos of Clipping and Pillerian Cathod Cathod Modulation Reducing Splatter (micro-phone cast) Reducing Splatter Modulation Splatter Modulation Speech Amplifer Reducing Splatter Respect of Cathodo Microphone Robbon Microphone Ribbon Microphone Ribbon Microphone Robinson Springer on With Audio Response	Apr. '55 Mar. '51 Dec. '45 Apr. '46 Mar. '41 Jul. '55 Aug. '46 Feb. '57 Dec. '56 May '51 Feb. '57 Dec. '46 Nov. '44 Aug. '57	82 8 1
Modulation Relationships Parallel Cathods Modulation Parallel Cathod Modulation Preparallel Cathod Modulating the Beam Proliners of Good Gual. Photos Practical Design for Speech Premodulation Clipping and Pillering Paraloined Tosatrainer (micro-RC) Parallel Pa	Apr. '51 Mar. '51 Dec. '41 Apr. '41 Mar. '41 Jul. '52 Aug. '41 Feb. '51 Dec. '55 May '51 Aug. '51 Aug. '51	82 8 1
Modulation Relationships Parrille Cathods Modulation Parrille Cathods Modulation Provided Cathods and Cathods	Apr. '5: Mar. '5: Dec. '5: May. '5: Dec. '5: May '5: Aug. '5: Aug. '5: Aug. '5: Aug. '5: Aug. '5: Jun.	82 8 1 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
Modulation Relationships Parallel Cathods Modulation Perallel Cathod Modulation Perallel Cathod Modulation Perallel Cathod Cathod Pointers on Good Caul. Phone Practical Design for Speech Permodulation Clipping and Filtering Cathod Ca	Apr. '55 Mar. '51 Dec. '45 Apr. '46 Mar. '41 Jul. '55 Aug. '46 Feb. '57 Dec. '56 May '51 Feb. '57 Dec. '46 Nov. '44 Aug. '57	82 8 1 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
Modulation Relationships Parallel Cathods Modulation Perallel Cathod Modulation Perallel Cathod Modulation Perallel Cathod Cathod Pointers on Good Caul. Phone Practical Design for Speech Permodulation Clipping and Filtering Cathod Ca	Apr. '5: Mar. '5: Mar. '4: Apr. '4: Mar. '4: Jul. '5: Aug. '4: Feb. '5: May '5: Feb. '4: Aug. '5: Dec. '4: Nov. '4: Aug. '5: Jun.	B 2 B L 190 B 2
Modulation Relationships Parrille Cathods Modulation Parrille Cathods Modulation Provided Cathods and Cathods	Apr. '5: Mar. '5: Dec. '5: May. '5: Dec. '5: May '5: Aug. '5: Aug. '5: Aug. '5: Aug. '5: Aug. '5: Jun.	B 2 B L 190 B 2

1	Articles-1945-55	
5	Simple AMC Circuit Dec. 42 Simple Speech Clipper Jul. 42	9
5	Simple AMC Circuit Dec. 4 Simple Speech Clipper Jul. 4 Superb 30 Watt Modulator Jun. 5 Ten Watt Audio Amplifier Feb. 4	36
2		
3	Theory and Design of Speech	
4	Amplifier and Modulator Jun. '5 Theory and Design of Speech Clipping Circuits Jan. '5 Universal Speech Amplifier Jul. '4 Using Low Impedance Phones May '4	9
	Wideband Audio Phase Shift	f
2	Part One Jun. '5	5
9		5
8	100 Watts from Class B 807s Aug. 41 120 Watts of Audio without Driving Power Aug. 51	
2	DISPOSALS EQUIPMENT	•
5	ATIONS Cimple Commender of	
2 3 7	AR7-The AR7 for Ham Bands Jul. '48	Š
7	ARS01—Simple Conversion of ARS01 to 144 Mc. Jul. 56 AR7—The AR7 for Ham Bands Jul. 46 AR8—Modification to AR8 Rx Cot. 44 AR8—Modification to AR8 Rx Feb. 51 ASB4—One Metre Superhet, Conversion of ASB4 Receiver Mar. 56	i
0	Conversion of ASB4 Receiver Mar. '54	£
3	Wig-We-print and modined Dec. 34	3
9	BC348—Double Conversion of	
8	BC348 (note erratum in July) Jun. 53 BC348—21 Mc. on BC348 Rx May 56 BC375E—Using BC375E Trans-	
1	mitter Coil Units May '46 BC457—BC696 and BC457 Tx (note erratum in Sept.) May '46	,
3	(note erratum in Sept.) May '48 BC966A—Converting BC966A	ì
2	I.F.F. Unit Mar. '50	i
	Built-in Clamp Tube Modulator for the Command Tx Jan. '52	
7 7 9	Command Receiver, Notes on Jan, '51 Command Receiver Round-up Feb, '55 Command Rx—Double Conver. Jun. '55	
3	Command Rx-Double Conver. Jun. '53 Command Tx Conversions, Five	1
3	Bands Jan. '55	
4	FS6-Hints for FS6 Users Oct. '48 FS6-Modifying the FS6 Tx Jan. '49	i
9	Genemotors as AC Motors Dec. '49	1
0	LM Type—Resurrecting LM Type Bendix Freq. Meter Nov.'48	
3	Magslips and Their Uses Mar.'50 MN26Modification of MN26 Rx Jul. '55	
5	Power Sunnly for Class C	
	RA10FA—Modifying Bendix	
8		E
8	SCR211—Hints and Kinks—Re Power Supply for BC211 Freq. Meter May '5	
	Freq. Meter May '54	١

Key Ding Any 753	Propagation of Radio Waves— Part I. Dec. 48 Part II. Dec. 48 Push to Talk Feb. 49 Radio Control of Model Aircraft Sep. 52 Relay Operation Feb. 55 Rewinding D.C. Relays Apr. 49 Science in Antarctica Dec. 55	Effective Audio Filter Unit Jan.'49
Key Plug Apr. '33' Modifications Dec. '47' New Type Modulator Aug. '54' Series Screen Modulation Mar. '49' Using Type 19 Genemotor for 12 volt DC Operation Dec. '50'	Part I. Jul. '48	Emergency Network W.LA. Rx Oct. '52 "Fireside Five" Transceiver Mar. '51
New Type Modulator Aug. '54	Part II	"Fireside Five" Transceiver Mar. '51
Series Screen Modulation Mar.'49	Push to Talk Feb. '49	Freq. Modulation—The Rx Nov.'54 From Junkbox to 166 Mc Jan. '47 Getting the most out of your Rx Jun. '54
Using Type 19 Genemotor for	Radio Control of Model Aircraft Sep. 32	Getting the most out of your Ry Jun '54
ZB2—Converting BZ2 Homing	Rewinding D.C. Relays Apr. '49	Heterofil Jul. '54
Adaptor for 50 or 144 Mc. Dec. '50	Science in Antarctica Dec. '55	Heterofil Jul. '54 Hints and Kinks— Neutralising 6Jfs Mar.'55 Identifying and Tuning a SSSC Signal Jun.'48
100 Kc. Crystal from "Loran"	Short Circuits—	Neutralising 6J6s Mar.'55
Equipment Dec. '48	Pluggin Coils Tuck Fitter Jun. 48	Signal Tuning a SSSC
	Screen Grid Keving and	I.F. Regeneration May '46
MISCELLANEOUS	Science in Antarctica Dec. 20 Short Circuits— Effective Key Click Filter Jun. 48 Flug-in Colla Jul. 48 Screen Grid Keying and Cheap S. Observation Jul. 48 Shander In Observation Jul. 48	Signal Jun. '49 1F. Regeneration May '48 Low Noise RF Stage for 144
Ameteur Padieteleture Aud '55	Sporadic E Observations Nov.'49	Mc. Apr. '55 Narrow Band FM Adaptor Nov.'48 Notes on Double Conversion Rx Mar.'49 One-Tube Preamplifier — The
Amateur Workshop Dec. '45	Storing Spare Resistors and	Notes on Double Conversion By May '49
An Outline of Radar Aug.'46	Condensers Jan. '53	One-Tube Preamplifier The
About Plug-in Coils Dec. '51 Amateur Radioteletype Aug. '65 Amateur Workshop Dec. '45 An Outline of Radar Aug. '46 Are You Complacent About	Substitute for Capacity Type	"R-9'er" Jul. '48
TVI? Oct. '55 A Technical Tidbit Aug. '48	Storing Spare Resistors and Condensers Jan. '53 Substitute for Capacity Type Lightning Arrestor Mar. '50 Sunspot Minium Oct. '45 Sunspots and DX Aug. '52	Notes on Double Conversion Rx Mar. '49 One-Tube Preampilier The Jul. '48 Receiving SSSC Jan. '51 Reducing Noise in Double Conversion Rx Feb. '52 Ex Base Mounting Jul. '49 Ex Design for 28 Mc. and above Feb. '46 Ex Design for 28 Mc. and above Feb. '46
Baring Plastic Insulated Wire Nov. '52	Sunenote and DX Aug '52	Reducing Noise in Double Con-
Broadcast Interference from	Telegraph Manipulating Key	Py Base Mounting Jul '49
Amateur Stations Jan. '47	Design Aug. '47	Rx Design for 28 Mc, and above Feb. '46
Calculating Distance of QSOs Mar.'48	Design Aug '47 The Story of the Decibel Apr. '47 The Why of Odd Values Dec '48 Tranquil Break-in Jun. '50	Rx Performance May '55 Selectivity Nov.'46 Selectivity and Double Crystal
Calculation of Inductance Feb. '53 Centimeter Wave Magnetrons Mar. '46	The Why of Odd Values Dec. 48	Selectivity Nov.'46
Centimeter Wave Magnetrons Mar. 46	Tx-Rx Voice Operated Control	Selectivity and Double Crystal
Centimeter wave magnetrons mar. 46 Cleaning Litz Wire Apr. 51 Clearing the Ether, Series II.— Part I.—Introduction May '46 Part II.—Advice to the New Amateur Jun. '46 Crystal Controls for Vh.f. Bands Jun. '46 Crystal Creek Stubberg D71 Value 1999	Unit Oct. '55	
Part I.—Introduction May '46	Useful Workshop Hints Nov. '50	Part Two May '54
Part II.—Advice to the New	Useful Workshop Hints Nov.'50 Using VK3WI Standard Fre-	Part One Apr. '54 Part Two May '54 Selectivity and Phone Reception Jul. '54
Amateur Jun. 46	quency Transmissions Jan. 49	Simple and Effective S Meter Mar. '54 Simple Ham Band Super Feb. '51 Simple Ham Rx Nov. '46
	Using Resistors as RF Loads Feb. '52	Simple Ham Band Super Feb. '51
Cutting Polystyrene Rod Apr. '51	V.h.f. Wave Transmission May '50	Simple hair RX Vov. sc S Meter Jan. '55 S/N-6 Cascode 2 Metre Pre- Amplifier Dec. '53 Stabilising that IF Channel Jul. '55 Stabilising that IF Channel Jul. '55
DX Book-keeping Jul. '47	VK3 Zone Boundaries Jul. '47 Voice-Controlled Tx and Rx	S/N-6 Cascode 2 Metre Pre-
Effects of Electricity on the	Switching Jul. '51	Amplifier Dec. '53
Effects of Electricity on the Human Body	What No Rescone May 140	Stabilising that IF Channel Jul. '53
Facts About Nylex Power Flex Jul. '48	Location of Radio Renges May '49 Where is that Resistor? Oct. '52 Who will be on when TV and	
	Where is that Resistor? Oct. '52	The Complete Amateur— IF Channel (note errata in
Part I. Apr. '46 Part II. Jun. '46 Freq. Modulation Fundament-	TVI are on? Sen '55	
		200 at the cost and and and the tot Wille 02
	TVI are on? Sep. '55 Why 47? (reason for odd resistor values) Apr. '53	The Crystal Filter Oct. 47
	why 47? (reason for odd resistor values)	The Crystal Filter Oct. '47 The QX IF Amplifier Mar. '52 Triple Conversion Amateur
	why 477 (reason for odd re- sistor values)	The Crystal Filter Oct. 47 The QX IF Amplifier Mar. 52 Triple Conversion Amateur Band Rx Sep. 55
Part I. Nov. 47 Part II. Dec. 47 Great Circle Nomogram Jun. 54	Writing an Article for "A.R." Feb. '55 POWER SUPPLIES AC for the DC Ham	The Crystal Filter Oct. '47 The QX IF Amplifier Mar. '52 Triple Conversion Amateur Band Rx Sep. '55 Triple Conversion Rx Dec. '49
Part I. Nov. 47 Part II. Dec. 47 Great Circle Nomogram Jun. 54 Handy Registor Wattage Table Dec. 48	Writing an Article for "A.R." Feb. '55 POWER SUPPLIES AC for the DC Ham Feb. '49 Cheap Rectifiers for Relay Op-	The Crystal Filter Oct. 47 The QX IF Amplifier Mar. 52 Triple Conversion Amateur Band Rx Sep. 55 Triple Conversion Rx Dec. 49 Tuning in SSSC Aug. 50
Als— Part I. Nov. 47 Part II. Dec. 47 Great Circle Nomogram Jun. 54 Handy Resistor Wattage Table Dec. 48 Hidden Tx Hunting Mar. 53 With From Mar. 53	Writing an Article for "A.R." Feb. '55 POWER SUPPLIES AC for the DC Ham Feb. '49 Cheap Rectifiers for Relay Operating Voltages	R. Sep. 548. Sep. 548. Sep. 548. Sep. 548. Sep. 548. Sep. 55. Sep. 56. Sep.
Als— Part I. Nov. 47 Part II. Dec. 47 Great Circle Nomogram Jun. 54 Handy Resistor Wattage Table Dec. 48 Hidden Tx Hunting Mar. 53 With Frank Wattage Table Mar. 53	Writing an Article for "A.R." Feb. '55 POWER SUPPLIES AC for the DC Ham Feb. '49 Cheap Rectifiers for Relay Operating Voltages Dec. '49 Hints and Kinks————————————————————————————————————	The Crystal Filter Oct. 47 The QX IF Amplifier Mar. 52 Triple Conversion Amateur Band Rx Sep. 55 Triple Conversion Rx Dec. 49 Tuning in SSSC Aug. 50 VA.f. Automatic Tuner Nov. 55 Wide Rat Band Rx In Conversion Rx Dec. 49 Wide Rat Band Ry In Conversion Rx Dec. 49 Wide Rat Band Ry In Conversion Rx Dec. 49 Wide Rat Band Ry In Conversion Rx Dec. 49 Wide Rat Band Ry In Conversion Rx Dec. 49 Wide Rat Band Ry In Conversion Rx Dec. 49 Wide Rat Band Ry In Conversion Rx Dec. 49 Wide Rat Band Ry In Conversion Rx Dec. 49 Wide Rat Rx Dec. 49 Wide Rx
Als— Part I. Nov. 47 Part II. Dec. 47 Great Circle Nomogram Jun. 54 Handy Resistor Wattage Table Dec. 48 Hidden Tx Hunting Mar. 53 With Frank Wattage Table Mar. 53	Writing an Article for "A.R." Feb. '55 POWER SUPPLIES AC for the DC Ham Feb. '49 Cheap Rectifiers for Relay Operating Voltages Dec. '49 Hints and Kinks————————————————————————————————————	The Crystal Filter Ct. 47 The QX IF Amplifier Mari 52 Triple Conversion Amateur Sand RX Triple Conversion Rx Sep. 55 Triple Conversion Rx Dec. 49 Tuning in SSSC Aug. 50 Vh.f. Automatic Tuner Nov. 55 Vh.f. Rx Design Jun. 47 Wide Range Crystal Filter for 455 Kc. Oct. 47 455 Kc. Ct. 47
Als— Part I. Nov. 47 Part II. Dec. 47 Great Circle Nomogram Jun. 54 Handy Resistor Wattage Table Dec. 48 Hidden Tx Hunting Mar. 53 With Frank Wattage Table Mar. 53	Writing an Article for "A.R." Feb. '55 POWER SUPPLIES AC for the DC Ham Feb. '49 Cheap Rectifiers for Relay Operating Voltages Dec. '49 Hints and Kinks————————————————————————————————————	The Crystal Filter Ct. 47 The QX IF Amplifier Mar. 52 Triple Conversion Amateur Band Rx Sep. 55 Triple Conversion Rx Dec. 49 Tuning in SSSC Aug. 39 VA.1 Automatic Tuner Nov. 55 Wide Range Crystal Filter for Oct. 47 455 Kc. Zerro Best Indicator Feb. 51
Als— Part I. Nov. 47 Part II. Dec. 47 Great Circle Nomogram Jun. 54 Handy Resistor Wattage Table Dec. 48 Hidden Tx Hunting Mar. 53 With Frank Wattage Table Mar. 53	Writing an Article for "A.R." Feb. '55 POWER SUPPLIES AC for the DC Ham Feb. '49 Cheap Rectifiers for Relay Operating Voltages Dec. '49 Hints and Kinks————————————————————————————————————	The Crystal Filter Oct. 47 The QX IF Amplifier Mar. 52 Triple Conversion Amasuur Triple Conversion Review Sep. 55 Triple Conversion Review Sep. 55 Triple Conversion Review Sep. 56 Tuning in SSSC Aug. 50 Tuning in SSSC No. 55 The Conversion Review Sep. 56 The Conversion Review
Als— Part I. Nov. 47 Part II. Dec. 47 Great Circle Nomogram Jun. 54 Handy Resistor Wattage Table Dec. 48 Hidden Tx Hunting Mar. 53 With Frank Wattage Table Mar. 53	Writing an Article for "A.R." Feb. '55 POWER SUPPLIES AC for the DC Ham Feb. '49 Cheap Rectifiers for Relay Operating Voltages Dec. '49 Hints and Kinks————————————————————————————————————	V.h.f. Rx Design Jun. 47 Wide Range Crystal Filter for 455 Kc. Oct. 47 Zezro Beal Indicator Feb. 51 2 Metres—Dry Batteries May 50 80 Metre Station (includ, rx) Mar. 50
Als— Part I. Nov. 47 Part II. Dec. 47 Great Circle Nomogram Jun. 54 Handy Resistor Wattage Table Dec. 48 Hidden Tx Hunting Mar. 53 With Frank Wattage Table Mar. 53	Writing an Article for "A.R." Feb. '55 POWER SUPPLIES AC for the DC Ham Feb. '49 Cheap Rectifiers for Relay Operating Voltages Dec. '49 Hints and Kinks————————————————————————————————————	Vh.f. Rx Design Jun. 47 455 Kc. Oct. 47 Zero Best Indicator Feb. 51 Zerotes Tribute Station (includ. rx) Mar. 50 80 Metre Station (includ. rx) Mar. 50 Converters
Als— Part I. Nov. 47 Part II. Dec. 47 Great Circle Nomogram Jun. 54 Handy Resistor Wattage Table Dec. 48 Hidden Tx Hunting Mar. 53 With Frank Wattage Table Mar. 53	Writing an Article for "A.R." Feb. '25 FOWER SUPPLIES AC for the DC Ham Feb. '49 Cheap Rectifiers for Relay op- earsting Voltages Dec. '49 Self-Powered Bias Jul. '49 Small Flament Transformers Dec. '54 HOW to use Dry Rectifiers Jun. '52 HV Fower Supplies Small Fower Transformers Novel Flament Circuit for DC Arrass Arrass Jan. '47 Arrass Jan. '47	Vh.f. Rx Design Jun. 47 455 Kc. Oct. 47 Zero Best Indicator Feb. 51 Zerotes Tribute Station (includ. rx) Mar. 50 80 Metre Station (includ. rx) Mar. 50 Converters
Als— Part I. Nov. 47 Part II. Dec. 47 Great Circle Nomogram Jun. 54 Handy Resistor Wattage Table Dec. 48 Hidden Tx Hunting Mar. 53 With Frank Wattage Table Mar. 53	Writing an Article for "A.R." Feb. '26 AC for the DC Ham Feb. '46 Cheap Rectifiers for Relay Ope. '49 Hints and Kinks— Dec. '49 Kinks and Kinks— Jul. '49 Kinks and Kinks a	Vh.f. Rx Design Wide Range Crystal Filter for 455 Ke. Zerro Best Indicator Feb. '51 2 Metres—Dry Batteries May '50 80 Metre Station (inclut rx) Mar.'50 Converters Adjustment of V.h.f. Converter HF Stage Jul. '51
Als— Part I. Nov. 47 Part II. Dec. 47 Great Circle Nomogram Jun. 54 Handy Resistor Wattage Table Dec. 48 Hidden Tx Hunting Mar. 53 With Frank Wattage Table Mar. 53	Writing an Article for "A.R." Feb. '26 AC for the DC Ham Feb. '46 Cheap Rectifiers for Relay Ope. '49 Hints and Kinks— Dec. '49 Kinks and Kinks— Jul. '49 Kinks and Kinks a	Vh.f. Rx Design Wide Range Crystal Filter for 455 Ke. Zerro Best Indicator Feb. '51 2 Metres—Dry Batteries May '50 80 Metre Station (inclut rx) Mar.'50 Converters Adjustment of V.h.f. Converter HF Stage Jul. '51
Als— Part I. Nov. 47 Part II. Dec. 47 Great Circle Nomogram Jun. 54 Handy Resistor Wattage Table Dec. 48 Hidden Tx Hunting Mar. 53 With Frank Wattage Table Mar. 53	Writing an Article for "A.R." Feb. '26 AC for the DC Ham Feb. '46 Cheap Rectifiers for Relay Ope. '49 Hints and Kinks— Dec. '49 Kinks and Kinks— Jul. '49 Kinks and Kinks a	Vh.f. Rx Design Wide Range Crystal Filter for 455 Ke. Zerro Best Indicator Feb. '51 2 Metres—Dry Batteries May '50 80 Metre Station (inclut rx) Mar.'50 Converters Adjustment of V.h.f. Converter HF Stage Jul. '51
Als— Part I. Nov. 47 Part II. Dec. 47 Great Circle Nomogram Jun. 54 Handy Resistor Wattage Table Dec. 48 Hidden Tx Hunting Mar. 53 With Frank Wattage Table Mar. 53	Writing an Article for "A.R." Feb. '85 AC for the DC Ham Comment of the Comment o	Vh.f. Rx Design Wide Range Crystal Filter for 455 Ke. Zerro Best Indicator Feb. '51 2 Metres—Dry Batteries May '50 80 Metre Station (inclut rx) Mar.'50 Converters Adjustment of V.h.f. Converter HF Stage Jul. '51
Als— Part I. Nov. 47 Part II. Dec. 47 Great Circle Nomogram Jun. 54 Handy Resistor Wattage Table Dec. 48 Hidden Tx Hunting Mar. 53 With Frank Wattage Table Mar. 53	Writing an Article for "A.R." Feb. '85 AC for the DC Ham Comment of the Comment o	Vh.f. Rx Design Wide Range Crystal Filter for 455 Ke. Zerro Best Indicator Feb. '51 2 Metres—Dry Batteries May '50 80 Metre Station (inclut rx) Mar.'50 Converters Adjustment of V.h.f. Converter HF Stage Jul. '51
Als— Part I. Nov. 47 Part II. Dec. 47 Great Circle Nomogram Jun. 54 Handy Resistor Wattage Table Dec. 48 Hidden Tx Hunting Mar. 53 With Factoria. Nov. 49 Nov. 49 Nov. 49 Nov. 49 Nov. 40 Nov. 47 Nov. 40 Nov. 47 Nov. 40 Nov. 47 Nov. 40 Nov. 47 Nov. 47 Nov. 47 Nov. 40 Nov. 47 Nov. 40 Nov. 47 Nov.	Writing an Article for "A.R." Feb. '85 AC for the DC Ham Comment of the Comment o	Vh.f. Rx Design Wide Range Crystal Filter for 455 Ke. Zerro Best Indicator Feb. '51 2 Metres—Dry Batteries May '50 80 Metre Station (inclut rx) Mar.'50 Converters Adjustment of V.h.f. Converter HF Stage Jul. '51
apart I. Nov. 47 Part II. Dec. 47 Orest Circle Nomogram Dec. 48 High Frequency BF Chokes Hints and Kints— Circle Nomogram Dec. 48 Circle Nomogra	Writing an Article for "A.R." Feb. '86 AC for the DC Ham Characteristics of the Action of the Characteristics of	Vh.f. Rx Design Wide Range Crystal Filter for 455 Ke. Zerro Best Indicator Feb. '51 2 Metres—Dry Batteries May '50 80 Metre Station (inclut rx) Mar.'50 Converters Adjustment of V.h.f. Converter HF Stage Jul. '51
aBart I. Nov. 47 Part II. Dec. 197 Great Citcle Nomogram Jun. 94 Early Resistor Wattage Table Dec. 148 Early Resistor Wattage Table Dec. 148 High Frequency FF Chokes High Frequency FF Chokes Hints and Kinstes Binding Magazines Horizon Clean Drilling Glias Horizon Frequency FF Chokes Hory State Control of the Control of	Writing an Article for "A.R." Feb. '85 AC for the DC Ham Peb. '49 Cheap Rectifiers for Relay Options of the DC Ham Peb. '49 Hints and Kinks— Dec. '49 Kinks and Kinks— Dec. '48 Kinks and Kinks and Kinks Kinks and Kinks— Dec. '48 Kinks and Kinks and Kinks Kinks and Kinks and Kinks Kinks and Kinks and Kinks and Kinks Kinks and Kinks and Kinks Kinks and Kinks and Kinks and Kinks and Kinks and Kinks Kinks and	Vh.f. Rx Design Wide Range Crystal Filter for 455 Ke. Zerro Best Indicator Feb. '51 2 Metres—Dry Batteries May '50 80 Metre Station (inclut rx) Mar.'50 Converters Adjustment of V.h.f. Converter HF Stage Jul. '51
aBart I. Nov. 47 Part II. Dec. 197 Great Citcle Nomogram Jun. 94 Early Resistor Wattage Table Dec. 148 Early Resistor Wattage Table Dec. 148 High Frequency FF Chokes High Frequency FF Chokes Hints and Kinstes Binding Magazines Horizon Clean Drilling Glias Horizon Frequency FF Chokes Hory State Control of the Control of	Writing an Article for "A.R." Feb. '86 AC for the DC Ham Chamber Supprises Chamber Sup	V.h.f. Rx Design Jun, 42 Wide Bange Crystal Filter for Ct. 47 Zeero Best Indicator Feb. 51 80 Metres Dry, Batteries May 50 80 Metre Station (Includ. rx) Mar. 50 80 Metre Station (Includ. rx) Metre Station (Includ. rx) 80 Metre Station (Includ. rx) Metre Station (Includ. rx) 80 Metre Station (Includ. rx) Metre Station (Includ. rx) 80 Metre Station (Includ. rx) Metre Station (Includ. rx) 80 Metre Station (Includ. rx) Metre Station (Includ. rx) 80 Metre Station (Includ. rx) Mar. 50 80 M
aBart I. Dec. '47 Fart II. Dec. '47 Great Circle Nomogram Jun. '54 Handy Resistor Wattage Table Dec. '48 Handy Resistor Wattage Table Dec. '48 High Frequency RF Chokes Nov. '48 High Frequency RF Chokes High Frequency RF Chokes High Frequency RF Chokes High Frequency RF Chokes Hand Keeping May '54 Drilling Glass Hand Frequency RF Chokes Drilling Glass Handy '54 Drilling Glass Jone '55 Controlling AC Relays Dec. '54 Soldertog Ministure Components Soldertog Ministure Components Soldertog Ministure Components Testing Gondenser Testing Gondenser Testing Gondenser Testing Gondenser Valve Soldets for EF50s 24 Vol'r Relays on 12 Volts Apr. '55 24 Vol'r Relays on 12 Volts Apr. '55 26 Vol'r Relays on 12 Volts Apr. '50 To Sportale Long Behaviour Nov. '47	Writing an Article for "A.R." Feb. '85 AC for the DC Ham Peb. '49 Cheap Rectifiers for Relay Options of the DC Ham Peb. '49 Hints and Kinks— Dec. '49 Kinks and Kinks— Dec. '48 Kinks and Kinks and Kinks Kinks and Kinks— Dec. '48 Kinks and Kinks and Kinks Kinks and Kinks and Kinks Kinks and Kinks and Kinks and Kinks Kinks and Kinks and Kinks Kinks and Kinks and Kinks and Kinks and Kinks and Kinks Kinks and	vh.f. Rx Design Jun. 47 Wide Bange Crystal Ziliter Get. 47 2400 Rest Indicator Get. 47 2400 Rest Indicator Feb. 51 80 Metre Station (Includ. rx) Mar. 30 Converters Adjustment of Vh.f. Converter RF Stage Converter for the Vh.f.* BC Converter for Mar. 48 RC Converter for War. 48 RC Converter for War. 48 RC Converter for SW Rx Apr. 53 Crystal Controlled Converter for 6 Metres SC Met
apart I. Nov. 437 Part II. Dec. 197 Great Citcle Nomogram Dec. 198 High Frequency FF Chokes Hints and Kinse Live Citcle Nomogram Dec. 198 Hints and Kinse Live Citcle Nomogram Dec. 198 Drilling Glass House Dec. 198 Drilling Glass Dec. 198 May '54 May '54 Soldering Ministure Com- Soldering May '54 M	Writing an Article for "A.R." Feb. '85 AC for the DC Ham Feb. '40 AC for the DC Ham	V.h.f. Rx Design Jun, 47 Wide Bange Crystal Filter for Ct. 47 Zerro Best Indicator Feb. 51 80 Metres Tarton (Includ. rx) Mar. 50 80 Metre Station (Includ. rx) Metre Station (Includ. rx) 80 Metre Station (Includ. rx) Metre Station (Includ. rx) 80 Metre Station (Includ. rx) Metre Station (Includ. rx) 80 Metre Station (Includ. rx) Metre Station (Includ. rx) 80 Metre Station (Includ. rx) Metre Station (Includ. rx) 80 Metre Station (Includ. rx) Metre Station (Includ. rx) 80 Metre Station (Includ. rx) Mar. 50 80 Metre Station
apart I. Nov. 47 Part II. Dec. 47 Great Circle Nomogram Dec. 48 High Frequency RF Chokes Hints and Kinese Circle Nomogram Dec. 48 Coperating A.C. Relays Dec. 54 Coverione Crystals Company Soponents Stick Solder Generator Solder Generator Solder Generator White Sockets for EF96s Valve Sockets for EF96s Valve Sockets for EF96s 24 Volt Relays on 12 Volta Pelantons of Sporadic E. Indianators of Sporadic E. Indianators Apr. 50 Dec. 49 Coperating A.C. Relays Coperating A.	Writing an Article for "A.R." Feb. '85 AC for the DC Ham Feb. '40 AC for the DC Ham	V.h.f. Rx Design Jun, 47 Wide Bange Crystal Filter for Ct. 47 Zerro Best Indicator Feb. 51 80 Metres Tarton (Includ. rx) Mar. 50 80 Metre Station (Includ. rx) Metre Station (Includ. rx) 80 Metre Station (Includ. rx) Metre Station (Includ. rx) 80 Metre Station (Includ. rx) Metre Station (Includ. rx) 80 Metre Station (Includ. rx) Metre Station (Includ. rx) 80 Metre Station (Includ. rx) Metre Station (Includ. rx) 80 Metre Station (Includ. rx) Metre Station (Includ. rx) 80 Metre Station (Includ. rx) Mar. 50 80 Metre Station
apart I. Nov. 47 Part II. Dec. 47 Great Circle Nomogram Dec. 48 High Frequency RF Chokes Hints and Kinese Circle Nomogram Dec. 48 Coperating A.C. Relays Dec. 54 Coverione Crystals Company Soponents Stick Solder Generator Solder Generator Solder Generator White Sockets for EF96s Valve Sockets for EF96s Valve Sockets for EF96s 24 Volt Relays on 12 Volta Pelantons of Sporadic E. Indianators of Sporadic E. Indianators Apr. 50 Dec. 49 Coperating A.C. Relays Coperating A.	Writing an Article for "A.R." Feb. '85 AC for the DC Ham Feb. '40 AC for the DC Ham	V.h.f. Rx Design Jun. 42 Wide Bange Crystal Filter for Ct. 47 Zerro Best Indicator Feb. 51 80 Metres Dry, Batteries May 50 80 Metre Station (Includ. rx) Mar. 50 80 Metre Station (Inclu
aBart I. Dec. '47 Part II. Dec. '47 Great Circle Nomogram Jun. '54 Handy Resistor Wattage Table Dec. '48 Handy Resistor Wattage Table Dec. '48 High Frequency Mr. Color May '54 High Glass May '54 Drilling Glass May '54 Drilling Glass May '54 Drilling Glass Dec. '54 Overtone Crystals Dec. '54 Overtone Crystals Dec. '54 Overtone Crystal Hodger May '54 Honoreast Crystal Hodger Testing Condensers White Testing Condensers White Testing Condensers White Honoreast Crystal Hodger Honoreast Cry	Writing an Article for "A.R." Feb. '85 AC for the DC Ham Feb. '40 AC for the DC Ham	Vh.f. Rx Design Jun. 47 Wide Bange Crystal Ziliter Get. 47 200 Best Indicator Get. 47 200 Best Indicator Feb. 51 80 Metre Station (Includ. rx) Mar. 30 Converters Adjustment of Vh.f. Converter Afglustment of Vh.f. Converter The Vh.f.* BC Converter for the Vh.f.* BC Converter for Crystal Controlled Converter (or 6 Metres (or 5 Metres (or 7 Metres
aBart I. Dec. '47 Part II. Dec. '47 Great Circle Nomogram Jun. '54 Handy Resistor Wattage Table Dec. '48 Handy Resistor Wattage Table Dec. '48 High Frequency Mr. Color May '54 High Glass May '54 Drilling Glass May '54 Drilling Glass May '54 Drilling Glass Dec. '54 Overtone Crystals Dec. '54 Overtone Crystals Dec. '54 Overtone Crystal Hodger May '54 Honoreast Crystal Hodger Testing Condensers White Testing Condensers White Testing Condensers White Honoreast Crystal Hodger Honoreast Cry	Writing an Article for "A.R." Feb. '85 AC for the DC Ham Feb. '40 AC for the DC Ham	Vh.f. Rx Design Jun. 47 Wide Bange Crystal Ziliter Get. 47 200 Best Indicator Get. 47 200 Best Indicator Feb. 51 80 Metre Station (Includ. rx) Mar. 30 Converters Adjustment of Vh.f. Converter Afglustment of Vh.f. Converter The Vh.f.* BC Converter for the Vh.f.* BC Converter for Crystal Controlled Converter (or 6 Metres (or 5 Metres (or 7 Metres
a Part I. Nov. 437 Part II. Dec. 47 Great Circle Nomogram Dac. 48 High Frequency BF Chokes High Frequency BF Chokes High Frequency BF Chokes Hints and Kindsene Circle Circle May 54 Lines and Circle Circle May 54 Lines and Circle Circle May 54 Lines Circle	Writing an Article for "A.R." Feb. '85 AC for the DC Ham Feb. '40 AC for the DC Ham	Vh.f. Rx Design Jun. 47 Wide Bange Crystal Ziliter Get. 47 200 Best Indicator Get. 47 200 Best Indicator Feb. 51 80 Metre Station (Includ. rx) Mar. 30 Converters Adjustment of Vh.f. Converter Afglustment of Vh.f. Converter The Vh.f.* BC Converter for the Vh.f.* BC Converter for Crystal Controlled Converter (or 6 Metres (or 5 Metres (or 7 Metres
a Part I. Nov. 437 Part II. Dec. 47 Great Circle Nomogram Dac. 48 High Frequency BF Chokes High Frequency BF Chokes High Frequency BF Chokes Hints and Kindsene Circle Circle May 54 Lines and Circle Circle May 54 Lines and Circle Circle May 54 Lines Circle	Writing an Article for "A.R." Feb. '56 for West SUPPLIES AC for the DC Ham Peb. '49 Cheap Rectifiers for Relay Op- Hints and Kinks— Self-Powered Bignarfers and All '49 Hints and Kinks— Self-Powered Bignarfers and Many '40 How to use Dry Rectifiers Jun. '52 More Driedred Distriction of Novel Flammet Circuit for DC Areas Novel Flammet Circuit for DC Areas Novel Flammet Circuit for DC Areas Part I.—High Vacuum Mar '46 Part II.—Gas Filled May '46 Part II.—Bigh Vacuum Jone '16 Aug '50 Band Spreading and all that Oct. '55 Countryman's Double Conversion Ry. San Yang Yang Yang Yang Yang Yang Yang Ya	Vh.f. Rx Design Jun. 47 Wide Bange Crystal Ziliter Get. 47 200 Best Indicator Get. 47 200 Best Indicator Feb. 51 80 Metre Station (Includ. rx) Mar. 30 Converters Adjustment of Vh.f. Converter Afglustment of Vh.f. Converter The Vh.f.* BC Converter for the Vh.f.* BC Converter for Crystal Controlled Converter (or 6 Metres (or 5 Metres (or 7 Metres
a Part I. Nov. 437 Part II. Dec. 47 Great Circle Nomogram Dac. 48 High Frequency BF Chokes High Frequency BF Chokes High Frequency BF Chokes Hints and Kindsene Circle Circle May 54 Lines and Circle Circle May 54 Lines and Circle Circle May 54 Lines Circle	Writing an Article for "A.R." Feb. '56 for West SUPPLIES AC for the DC Ham Peb. '49 Cheap Rectifiers for Relay Op- Hints and Kinks— Self-Powered Bignarfers and All '49 Hints and Kinks— Self-Powered Bignarfers and Many '40 How to use Dry Rectifiers Jun. '52 More Driedred Distriction of Novel Flammet Circuit for DC Areas Novel Flammet Circuit for DC Areas Novel Flammet Circuit for DC Areas Part I.—High Vacuum Mar '46 Part II.—Gas Filled May '46 Part II.—Bigh Vacuum Jone '16 Aug '50 Band Spreading and all that Oct. '55 Countryman's Double Conversion Ry. San Yang Yang Yang Yang Yang Yang Yang Ya	Vh.f. Rx Design Jun. 47 Wide Bange Crystal Ziliter Get. 47 200 Best Indicator Get. 47 200 Best Indicator Feb. 51 80 Metre Station (Includ. rx) Mar. 30 Converters Adjustment of Vh.f. Converter Afglustment of Vh.f. Converter The Vh.f.* BC Converter for the Vh.f.* BC Converter for Crystal Controlled Converter (or 6 Metres (or 5 Metres (or 7 Metres
aBart I. Nov. 47 Part II. Dec. 197 Great Circle Nomogram Jun. 54 Early Resistor Wattage Table Dec. 188 Early Resistor Wattage Table Dec. 188 High Frequency RF Chokes How Service Committee Committe	Writing an Article for "A.R." Feb. '86 AC for the DC Ham Character Act for the DC Ham Character Act for the DC Ham Character Character Act for the DC Ham Character Ch	Vh.f. Rx Design Jun. 47 Wide Bange Crystal Ziliter Get. 47 200 Best Indicator Get. 47 200 Best Indicator Feb. 51 80 Metre Station (Includ. rx) Mar. 30 Converters Adjustment of Vh.f. Converter Afglustment of Vh.f. Converter The Vh.f.* BC Converter for the Vh.f.* BC Converter for Crystal Controlled Converter (or 6 Metres (or 5 Metres (or 7 Metres
apart I. Dec. 47 Great Citcle Nomogram Dec. 48 High Frequency FF Chokes Hints and Kinse Dec. 48 High Frequency FF Chokes Hints and Kinse Dec. 48 High Frequency FF Chokes Hints and Kinse Dec. 48 High Frequency FF Chokes How Great Citcle Citcl	Writing an Article for "A.R." Feb. '56 for West SUPPLIES AC for the DC Ham Peb. '49 Cheap Rectifiers for Relay Op- Hints and Kinks— Self-Powered Bignarfers and All '49 Hints and Kinks— Self-Powered Bignarfers and Many '40 How to use Dry Rectifiers Jun. '52 More Driedred Distriction of Novel Flammet Circuit for DC Areas Novel Flammet Circuit for DC Areas Novel Flammet Circuit for DC Areas Part I.—High Vacuum Mar '46 Part II.—Gas Filled May '46 Part II.—Bigh Vacuum Jone '16 Aug '50 Band Spreading and all that Oct. '55 Countryman's Double Conversion Ry. San Yang Yang Yang Yang Yang Yang Yang Ya	Vh.f. Rx Design Jun. 47 Wide Bange Crystal Filter of Cet. 47 240 Ex. 2

PUSH-PULL POWER

as only these

"Miniwatt Twin Tetrodes

MINIWATT TYPE 5894 (QQEO6/40)

A twin tetrode for wide band operation
... widely accepted as standard for 420
Me. service.

New ICAS Ratings up to 250 Mc. Now allowed 750-volt plate voltage for CW operation and 600-volt plate modulated. Designed for R.F. Amplifier, Modulator, Frequency Tripler use. Considerably reduced capacitances provide higher resonant frequencies. Single cathode and screen-grid construction result in low RF degeneration, therefore low drive lized over entire band. 4" high over diameter.



rall x 115"		
220 Mc. input	CCS 120 120 120	150 watts

can deliver!

MINIWATT TYPE 6252 (QQEO3/20)

Lower input and Output Capacitances than any other comparable twin tetrode.



A natural for 420 Mc. use! Has been successfully operated as a frequency multiplier in the UHF TV band. Particularly suitable for low-drain mobile transmitters and multiplier chains. Only 3" high, with the same mechanical and electrical features that have placed the PHILIPS 5894 in the forefront as standard equipment at 400 Mc. or higher.

			ccs	ICAS
144	Mc.	input	 90	 112 watts
220	Mc.	input	 90	 112 watts
420	Mc.	input	 75	 90 watts

A FULL RANGE OF TRANSMITTING TUES MOUNTINGS AND ACCESSORIES ARE AVAILABLE

TEMPERATURE MEASUREMENT!

A range of "Tempilstick" crayons and "Tempilaq" paints are also available. These items solve many problems in measuring seal and glass temperatures.



FOR FULL TECHNICAL DETAILS WRITE TO

PHILIPS ELECTRICAL INDUSTRIES PTY, LTD.

PTY. LTD.

69 Clarence Street, Sydney • 590 Bourke Street,
Melbourne • 148 Edward Street, Brisbane • 381
Murray Street, Perth • 119 Grenfell Street,
Adelaide.

PV18-55

We the transfer of the same		
Disc Recording from Wire or Tape Recordings Jan. '52	"The Quizmaster" (grid dipper) Dec. '50	Simplified Design of Tank Cir- cust for RF Amplifiers—
Tape Recordings Jan. '52 Magnetic Tape Recorders Sep. '50	Use for Small Rectifiers Jun. '49 Versatile Measuring Instrument Jul. '49	Part L. Sep. '46
Recording Tape	What is its Inductance? May '51	Part II. Oct '46
Part One Feb. '54	Wide Bange Signal Generator Nov. '49	SSSC Jul. '49
Part Two Mar.'54	Wobbulators-Sweep Generator Mar. 55	"Sure-fire" Crystal OscMult. Aug. '54
TELEVISION	144 Mc. Heterodyne Freq. Meter Feb. '55	Tank Circuit Qs Mar. '53
	TRADE REVIEWS	The Complete Amateur-
Amateur Television Sep. '47 Amateur TV-	"Commander" Double Conver-	Crystal Osc. and Multipliers Mar. 54
	sion Receiver May '50	Final Tank Circuit Apr '54 Function' and Master Switch
Part One Jul. '53 Part Two Aug.'53		Panel, Rack Details Jul. '54
Part Two Aug. '53 Part Three Sep. '53 Part Four Nov. '33 Part Four Dec. '83 Television Made Easy—	Edystone Vibrator for "640" Dec. '49 Eddystone 669 "S" Meter Dec. '49	"Terrific Two Watter" Jan. '47
Part Four Nov. 53	Eddystone 669 "S" Meter Dec. 49 Eddystone "696" Absorption	Tx Control Sep. '54
Part Five		"Terrific Two Watter" Jan. 47 Tx Control Sep. 54 Tx Design and Construction Feb. 48 Tx with AC/DC Power Supply Jul. 54
Television Made Easy—	Eddystone "750" Receiver Feb. '54 Eddystone "750" Com. Receiver Oct. '50	Tx with AC/DC Power Supply Jul. '54
Part I—Introduction Sep. '51	Eddystone "750" Com Receiver Oct '80	Tx With Low Harmonic Output
Part 2-How the Camera	Geloso Pi-Coupler Tank Coil Oct. '55	Part One
Works Oct. '51	Geloso Signal Shifter Jun. '54	Part 1w0 100 33
Part 3-What's in a TV Sig. Nov. '51	Philips IFT's Mar. '55	Part Three Dec. '55
Part 4-What's in a TV Rx Dec. '51		V.h.f. Portable Tx Dec. '46 100 Watt 144 Mc. Tx using
Part 5-Further Notes on Rx Jan. '52	Six-Second Low Voltage Sold-	Linear Tank Circuit Sep. '50
Part 6—How Rx is Synchron. Feb. '52 Part 7—Carrier Diff. System Mar, '52	ering Iron Nov. '49	A Dept. of the Control of the Contro
Part 8—Carrier Dur. System Mar. 52 Part 8—Interference and how	TEANMITTING	2 Metres—Dry Batteries May '50 3-Band 2-Stage Tx Jul. '53
the Ham can check it May 52	All-band Tank Circuit Aug. '52	576 Megacycles IX Jul. '58
the Ham can check it May 52 Part 8 Continued Jun. 52	Anti TVI Filters for the Am-	576 Megacycles Jan. '49 807s as Flost. Screen RF Amp Oct. '51
Part 9-Outline of Color TV Jul. '52	ateur Tx Nov. 55	
Questions and Answers Aug. '52 Questions and Answers Sep. '52	Battery Portable for 144 Mc Aug. '53	VALVES
Questions and Answers — Aug. 52 Questions and Answers — Sep. 52		Army VT Numbers and Com-
	Clearing the Ether, Series II.— Part III.—Construction and	mercial Numbers Aug.'51
TEST EQUIPMENT	Operation of Tx . Jul. '48	CW Retings of Same Resolving
Accurate Electronic Timer Jul. '55 Accurate and Cheap Wavemeter Nov.'48	Part IV.—Tx Aug. 48	Type Tubes May 49 CW Ratings of Some Receiving
Accurate and Chesp wavemeter Nov. 48	Part IV.—Tx Aug. '48 Part V.—Tx Sep. '46	CW Ratings of Some Receiving
A Rx, A Trapezoidal Pattern; so what?		
	Part VII.—Tx Dec. '46 Part VIII.—Tx Feb '47	Kinks for 807 Users (note erra-
Build Yourself a Bridge (note	Part VIII.—Tx Feb '47	tum in Sept.) Aug.'46
erratum in Dec.) Nov.48"	Crystal Cont. Tx for 144 Mc. Apr. '49 Crystal Filter SSSC Jun. '50	Ontimum Operating Conditions
Care of Indicating Meters Sep. '47	Crystal Filter SSSC Jun. '50	Optimum Operating Conditions for 807 Valves (audio) . Jul. '47
Care of Indicating Meters Sep. '47 Cathode Ray Mod. Checker Mar.'47 Characteristics of Indicating	Design Data for Bandswitched	Problems with 807s and 813s May '51
Meters Sep. '50	Exciters Jul. '53	
Circuit to Measure Capacity	Designing a V.h.f. Tx Nov '48	Radio Valve Practice Jul. '49
and Inductance Sep. '55	Economical Design for a Simple	R.M.A. Type Designation Sys- tem Oct. '48
Combination Instrument-Vac-	Stand-by Sen. 352	
uum Voltmeter, Ohmmeter,	Electronic Keyer (see erratum in Feb., '55)	Selection of Valves for use as Cathode Followers Sep. '47
Megger, Capacity Tester . Oct. '45	in Feb., '55) Dec. '54	Cathode Followers Sep. '47 Short Circuits, Repairing Loose
Crystal Controlled Service Os-	Emergency-Portable Rig Apr. '51 Emerg. Network of W.I.A. Tx Oct. '52	Grid Cap Jul. '48
cillator Apr. '53 Cw-Phone Monitor Jul. '50 De Luxe VTVM	Extracting the Watts Oct. '50	Manager and and and and and and and
CW-Phone Monitor Jul. 30		Taming an 807 Mer '47
	Filter Type SSSC Tx Aug. '49	Tube Type Designation Systems Aug. '54 Use of Electronic Valves . Nov. '55
Part One Jan. '50 Part Two Feb. '50	"Fireside Five Transceiver Mar. '51 Flextal Conversion Exciter Unit Mar. '48	Using Tubes Above Their Self-
	Freq. Modulation-The Tx Oct. '54	Resonant Frequency Jan. 51
	Grid Drive	2C40—Lighthouse triode; up to 2700 Mc. Nov '45
Freq. Meter for Audio Range May '54		2700 Mc Nov '45
Germanium Crystals—	Low Power 2 Metre C.C. Tx May '52	
Two Suggestions for use Jul. '49	Metering Tx's Apr. '51	2C43—Lighthouse triode Oct. '46 2E25—Tetrode Mar.'46
Suggestions for use Mar.'49 High Stability Freq. Meter May'49	MOPA for 188 Mc. Band Apr. '48 Morse Keys—Making of same Oct. '45	ZEZS-Tetrode Mar. 48
High Stability Freq. Meter May '49 Hints and Kinks—	Morse Keys—Making of same Oct. '45 Multiband Tuning Unit (note	2E25—Tetrode Mar.'46 2E28—Vh.f. beam power amp. Oct. '48 2E30—Beam terodeJul. '48 3X100A11/2C39—Lighthouse
	Multipand Tuning Unit (note	3¥100411/2C39Tighthouse
Capacity Check May '54 Increasing Sensitivity of Grid	erratum in Nov.) Oct. '53	3X100A11/2C39—Lighthouse triode; up to 2500 Mc May '46 4-250A—Tetrode Nov. '45
Dip Meter Sep. '53	NBFM Exciter Apr. '50	4-250A—Tetrode Nov. '45
Dip Meter	NBFM Phase Modulator Ex-	559—Diode, for operation in
How Much C (measur. capacity) Aug.'51	citer for 80, 40 and 20 Dec. '51	half wave rectification Oct '48
How Much C (measur. capacity) Aug. '51 How's My Modulation OM? Sep. '51	citer for 80, 40 and 20 Dec. '51 Neutralising an RF Amp. with a Grid Dip Meter Mar. '53	6AE8 Converter Oct. '52
Inexpensive Moduls. Indicator Apr. '50	Neutralising that Tetrode PA Dec. '48	6AJ5-Pentode; v.h.f. Nov '45
Let's Listen (cw-phone monitor) Feb. '54	Overtone Oscillator Circuit Nov. '54	6AU6—Pentode May '47 6BA6—Pentode Nov.'47
Practical VTVM Aug. '55	Painless Extraction of Har-	6AU6—Pentode May '47 6BA6—Pentode Nov.'47 6BE8—Converter Nov.'47
Silicon Crystal Noise Generator Apr. '55	monics New '50	6BV7—Double diode power
Simple Frequency Divider . Jun. '49	Phase Modulated NBFM Exciter Feb. '48	output pentode Sep. '52
Simple Freq Meter for Am-	Phasing System of SSSC Sep. '49	6N4—Triode; up to 500 Mc. Nov '45
	Phasing Type SSSC Evetter-	8148_Beam Power Amplifier Aug '55
Simple Modulation Monitor	Part One Dec. '52	
(see erratum in May) Apr. '51	Part Two Jan. 53	822-S-Triode Nov. 45
Standing Wave Indicator Nov. 53	Part Three Feb. '53	822-S—Triode
The Complete Amateur-	Simple Circuit for 166-170 Mc. Sep. '46	CV6/E1148—V.h.f. triode, up to 224 Mc. (note erratum in base
Audio Oscillator Nov.'54 Frequency Meter Oct. '54 Monitoring Your Outfit Dec. '54 The Match Maker (for check-	Simple Tx for 50 Mc. May '51 Simple 12 Watt 144 Mc. Tx Mar.'52	connections in Dec.) . Nov.'48
Frequency Meter Oct. '54	Simple 12 Watt 144 Mc. Tx Mar. '52	EF50-Pentode Jan '48
Monitoring Your Outfit Dec. '54	Simple 80 Metre Station Mar. 50	EF50—Pentode Nov '46
The Match Maker (for check-	Simple 80 Metre Tx Nov. '52	GL3C22—Triode; up to 800 Mc, Nov.'45 (Continued on Page 10)
ing quarter wave lines) Jul. '51	"Simplicity in Fours" Mar.'51	(Continued on Page 10)

Low Drift Crystals

AMATEUR **BANDS**

ACCURACY 0.02% OF STATED FREQUENCY

3.5 Mc. and 7 Mc. Unmounted &2 £2 10 0 Mounted

12.5 and 14 Mc. Fundamental Crystals, "Low Drift," Mounted only, £5.

THESE PRICES DO NOT INCLUDE SALES TAX.

Spot Frequency Crystals Prices on Application.

Regrinds &1 0 0

MAXWELL HOWDEN 15 CLAREMONT CRES.

CANTERBURY, E.7. VICTORIA

PAN PACIFIC SCOUT JAMBOREE, 1955-56

At the request of the Organising Committee, the Federal Executive of the Wireless Institute of Australia will install and operate transmitting and receiving equipment at the Pan Pacific ceiving equipment at the Pan Pacific Scout Jamborce, to be held from the 28th December, 1955, to 9th January, 1956, at "Clifford Park," Victoria. "Clifford Park," a delightful stretch of

country in the hills about 25 miles east of the city of Melbourne, has already been inspected by Federal Executive in order to locate the best position for the Shack" and aerial systems.

The official Federal Station of the

Wireless Institute of Australia, VK3WIA. will be on the air daily and nightly during the period of the Jamboree on the 14 Mc. hand for International working, and the 7 Mc. and 3.5 Mc. bands for local and National contacts.

Directional Vee Beams on the highest

hill in the camp area will span the globe in all directions; the choice of direction being chosen at the transmitter location further down the hill, at a point where Scouts from all parts of the Common-wealth and from twenty-one other Wealth and from twenty-the other Countries, together with the visiting public, will be able to make periodic visits to the "W.I.A Ham Shack on the Fifteen thousand Scouts will be camped in the area for the Jamborce!

Approximately seven miles of roadcover the camp area, which is broken into three main areas-Headquarters Area controlling the water supply, electric light system and the general administration of the Jamboree: one camp site catering for 10,000 Scouts and a second smaller site catering for 5.000 Scouts

A Special Pan Pacific Scout Jamboree. 1955-56, Call Sign Card in colour is being printed and will be forwarded to those confirming a contact with VK3WIA at the Camp Area, and all VK Amateurs are asked to try to make an effort to be on the air during these twelve days and to publicise the fact abroad during DX Contacts that the Federal Station will be on the 14 Me band looking for overseas contacts. To assist in this, the Jamboree Organising Committee is advising Scout Organisa

rostered to maintain schedules with overseas countries when conditions do not hold good for phone contacts VK3WIA will be staffed and operated

by Members of the Federal Executive and the Victorian Division, some of whom will be rostered to sleep at the site to guard the equipment and indirectly afford early and late contacts for those who might not be available during normal daylight hours. The installation of the equipment will be in the hands of three main working bodies Aerial Systems, Audio Equipment and Receivers, and Transmitting Equipment.

With the co-operation of the Jam-boree Organising Committee, the Mem-bers of the W.I.A. and all the others who have undertaken to prepare the operating site, supply electric light, erect aerial poles, etc., the success of this enterprise will be assured.

VK3WIA will be looking out for you. 73. D. Bowie, Federal Secretary.

HANDY INDEX Continued from Page 9

Mar. '46 Nov. '45 Feb. '52 HD59-Miniature Tetrode OA2—Regulator
QQE06/40—Double tetrode
RL7/VR136/CV1136—Pentode, up to 250 Mc. RL16/EC52—V.h.f. triode; up to Nov.'46

400 Mc. Nov. 46 RL18-V.h.f. triode; up to 600 Mc Nov. '46 RL37/CV66 -- Grounded grid

triode, up to 250 Mc. VCR139A—Cathode ray tube Nov. '46 Nov. '46 VEO's Cathode Coupled Oscillator Jun. '48

High Stability VFO Apr. '49 Keyed VFO (note erratum in Reyer Dec.)
Series Tuned ECO (Steco)
Series Tuned ECO (Steco)
Series Tuned ECO (Steco)
Simple VFO with Tempera-Nov. '48 Sep. '49 Apr. '50 ture Compensation Single Tube VFO Dec. '52 Oct. '51 Dec. '54

Single Tube VFO Oct. '51 Stable VFO 144 Mc. Operation Dec. '54 The Complete Amateur—VFO Feb. '54 Utilising FS6 Tunit Unit as a VFO

Variable Freq. Crysial Control Dec. 48
Variable Frequency Oscillator Aug 47
VFO at VK3WI
VFO Using Surplus CRV52233 tions all over the world that VK3WIA be on the air from the Camp Site and many Scouts will have the oppor-tunity to say "Hello" to Listeners. A Coil Unit ... Nov. '49 special team of c.w. operators will be



Merry Christmas and A Happy New Year

CARRY THE "HAM" SPIRIT WHEREVER YOU GO AND SPARE A THOUGHT FOR YOUR LESS FORTUNATE BROTHER.

GLORAD ENGINEERING SERVICES

291a TOORONGA ROAD, MALVERN, S.E.S. VIC. Phone: BY 3774

A Transmitter With Low Harmonic Output BY HANS RUCKERT,* VK2AOU

PART THREE

SPEECH AMPLIFIER AND MODULATOR Figure 4: To get effective modulation

would be absolutely wrong to use high fidelity methods or components. We know that our DX partner will have to use not much more than 5 to 6 Kc. i.f. bandwidth in his receiver to pull us through the QRM or noise. Therefore we have to change the sound character of our voice.

If we use an upper modulation frequency of 3 to 3.5 Kc. we have to suppress frequencies below 300 c.p.s. as well to bring the audio spectrum to a balance and achieve high intelligibility. So use small coupling capacitors at the pre-amplifier. An a.f. low-pass filter is in any case recommended, whether we use a clipper or not, mainly to limit our modulation band and to give other Amateurs a chance to find a clear chan-. The same method helps to concentrate our transmitter energy on the frequency range our partner will receive. That is why s.s.b. is even more

The crystal mike (any quality will be good enough for 300 to 3,000 c.p.s.) is followed by a high gain a.f. stage. A twin triode (68N7 or similar) can be switched in as a clipper. The clipping level can be adjusted with the first volume control and 10 to 15. db, is usually used without distorting the modulation or changing the voice to much. In this case we are not at all interested whether or not the voice coming from this transmitter sounds like that of the operator. All we want is a much higher sound density of the speech than the natural voice has.

This way of lifting up the low sounds to 100% modulation must cause distor-

tion of the aiready strong sounds which are clapped. The frequencies generated by this method again change the voice to some degree. Harmonics of the speech frequencies which would cause splatter, a wide unused transmitted band of frequencies, interference to other stations, and scattering of trans-mitted power are filtered out by a low-pass filter.

Formerly. complicated filters have been popular, but many designers found that they can introduce phase differ-ences and distortion. Two sections are sufficient to reduce the modulation to 10% at 4 Kc. The clipper stage has no gain so this is a convenient place for a switch to by-pass the clipper and

filter.

Using low a.f. gain in front of the clipper and high gain after the filter makes it possible not to clip, but still to use the low-pass a.f. filter. After a further high gain a.f. stage, there is a second volume control to set the modulation to a maximum of 65%, so pre-lation to a maximum of 65%, so preventing splatter when the clipper is used. It can be regarded as a matter


courtesy to use a clipper filter. The driver stage is again the uni versal Telefunken pentode EF14 with plate and suppressor grid connected to get low impedance. A 6V6 as triods *25 Berrille Road, Beverly Hills, N.S.W.

would be suitable as well. The driver transformer was a mains transformer with the 300v. winding now on the primary side and the 2 x 110v. primary now used as secondary. Two Tele-funken pentodes, RL12P35 (identical to the 807, 30 watts plate dissipation) operate as class AB2 final modulator valves. When receiving, the grids of these valves get —70v. bias like the scope LB1 to prevent the sound of the

receiver loudspeaker feeding the mike


and the modulator plus, finally, the p.a.

The modulation transformer is a 110v. mains transformer. After some cal-culations it was found that Amateur modulation transformers can be cal-culated like 50 c.p.s. mains transformers if we multiply the primary imped-ance by about 2.5 for class AB2 ampli-(Continued on Page 24)



MULLARD 5-10 HIGH QUALITY

LOW-COST AMPLIFIER



SEND for quotation on the Mullard Amplifier with A. & R. output transformer.

SEND for description leaflets on the British Grampian Mullard Amplifier.



GOODMANS AXIETTE 101 LOUDSPEAKERS GOODMANS AUDIOM 50 LOUDSPERGEES. ARE IDEAL FOR THE MULLARD AMPLIFIER

UNITED RADIO DISTRIBUTORS PTY, LTD.

175 Phillip Street, Sydney, N.S.W.

Telephone: BL 3954

South Australia V

Apparently following sult from the previous winners, VR7 and VK6, who both won it tivuce in stucession, S.A. has retained the honour for 1955. This was due to the magnificent score of VK5MS part of the state of th

This year a total of 431 logs was submitted; as from checking, 133 logs ed with an Amateur population of 3,138. All territories except Antarctica participated and an award has been made for the first time in the Northern Territory to VKSTL. VK9 Division was

well represented.
As the logs received showed that VKAMas the logs received showed that VKAwas well shead, these logs were checkwas well shead, the logs were checkthe amended scores still gave VKS an
unbeatable lead, so the other States
were checked only to determine the
these scores were very high in some
cases and in one or two Instances were
very close, complete checking had to be
burn and cups of sea drunt by SCA,
5DO, 5TO, 5DD, 5KQ, 5CR, 5PM, 5QR,
SKR, SXU and Norm Coltman.

Logs disallowed were few; principally for Rule II, 16 logs, Rule 18, 2 logs, and the for Rule II, 16 logs, Rule 18, 2 logs, and LA-O.C.P. who operated on the LA-O.C.P. who operated on the LA-O.C.P. who operated on the Amster submitting a log under his own contestant in one State showed a contact with each other on the 144 Mc. points. This claim was disallered on the basic that the rules stipulate that the basic that the rules stipulate that the Contest's for Interestice confacts—

Again the contestants did their best to make log-checking easy and the majority used the standard log sheets. One submitted contacts under the bands worked and gave a clear picture of the bands open at any time—35 Me to 21 persented in the top six logs and it should be very gratifying to the Councils of the Division to record that fact. The Committee desires me to record

its appreciation of the efforts of the members of the YKS Division who freely gave of their time in the same sp.rit that the Contest was played, also to those who gave their homes and hospitality to the stalwarts doing the checking, the indisposable XTLs and work as Secretary of the Division, and Jim SFO, the unofficial manager of the team.

This Contest gains in strength and interest every year and I have to thank you for the spirit with which you have imbued it; that selflessness for which we honour those who deed, that we might live to pursue our grand hobby.

"By your acts of grace So shall they live."

G. M. BOWKN, Chairman Contest Com-

RESULTS					C.W.			
	_	A:-		VK2QL 3XB	367	K6GA 7CH	339	
a Win	12	Again		4HH 5MD	296 207	ଃଠତ୍ୱ	119	
	ADIO	D AND ALL		N. G. Clarke	Listener 629		for e	
State		Claimed Al		J. A. Campl F. H. Price	bell 312		t record	
VK2 VK3			4057 3796					
VK4 VK5			2857 4479		OTHER L	DGS		
VK8		4001	3920	VK2AGE 460	13000000	154 V	K2IJ	72
VK7 VK9			2824 1805	VK2AGH 460 2PN 363 2AHM 345	2AHI ZLG	148 136	2ANO 2APQ	71 68 84
			1000	ZAYS 343 ZARV 336 2CS 333		134 132 125	2ANO 2APQ 2PU 2ADL 2ACN	60
		SCORES Australia				125		85.54
	1001	Average	746.50	2AWN 298 2EL 296 2AHP 265	2XT 2DK 2AVI	116	2AAI 2AAB 2OM	41
5EN	854	Licensees	370			101		36
5RG 5WO	806 716	Logs	87	2AOU 247 2AZN 228 2ARE 228	ZYB ZADT ZAJL	89 87 88	SAKQ SAAW SAQR	38
5JN	576	Total Point	s 922.03		2JY 2AJO	88 84		30
5GW	526				2AJO 2AVG	82 81	SAHT SSJ	25
VKERU	794	Australia Average	654.00	3G1 180 3APA 170 2YL 187 3AJQ 187	2XZ 2RF	80	2VN 2ASW 2AWW	18
6HK	762	Licensees	189	2AJQ 157			2AWX 2RU	18
6GU 6FD	723 625	Logs	68	**********	VICTORS VESAML	A T	aream	41
6KJ 6DX	519 501	Total Point	s 889,30	VKSALP 405 SALQ 259 SOM 322 SASB 320	BARV	128 V 123 119	3PG	40
		uth Wales		3ASB 320 3QK 305		115	KSHT SPG SAMD SALD SAAH SRN	30
VK2AHH	791	Average	676.17	3QK 305 2APS 275 3HE 248	3ATK SXR	119 107 105 105 104 102	3RN 3OH	31
2AKV	738	Licensees	1074	3BL 247 3KR 245 3AJK 260	SJA	105 104	SYS SAGP	30
2JU 2AMR	716 709	Logs	69			92	SUE	30
2GW 2SR	597 506	Total Point	s 719.61	3LA 515 3TG 193 SADL 193	SAAP SKU SALE	87	SARL SAGD	28
40.5		ioria.				79	SHIC	28
	1001	Average Licensees	632.67	3APJ 188 3DU 188	11g	87 82	388 3AFP	27
3VF 3ADW	611 609	Licensees Logs	1008		SAHR	56 56	SARR	22
SATR	590			SAND 146 SNN 143 SPR 133	SIB	56 56 51	SAWF SZU SDY SAEP	16
3HG .	573 412	Total Point	a 683.56	3AFF 188 3AFF 188	3AKW BRJ	81 47 48		16
	Tas	mania		SLR 181	8860		SJO	13
VK7PM 7A1	607 528	Average Licensees	473.50 126		QUEENSLA			
7WN	505	Logs	52	VK4JF 341 4FC 181 4JE 180	VK4ZP 4HD	80 V	KAKA ABG AJO	31
7YY 7UW	451 375	Total Point	- 669.91	47E 160 47D 187 4CY 144 4NG 181	4CK 4JR 4OB			34 34 30 30
7JP	375	20101 20101	000.01	4NG 181 4NK 119	40B	41 38	4XL 4XL	19
		rasland		48F 114 4XP 111	4KK 4RJ	38 38		17
VK4PQ 4CC	861 652	Average Licensees	482.00 321	436A 103 4GG 89	4HZ	34 32	4RZ 4XS 4KS	12
4OV	523 315	Logs	46	48F 114 4XP 111 4MA 103 4GG 99 48E 90 4HN 81	4EC 4RL	29	4WI 4PD	- 0
4TN 4HH	296	Total Point	a 551.07		4AQ	27		ı
4RH _	245	Guinea		VIESAR SOS	VK5BO		SEKSEN:	27
VK9DB	520	Average	300.83	5FF 437	SKU SKY SFQ SOR	91 88	REKE SXA STD	37
9FN	465	Licensees	43	5111 381 5FBs 375	5FQ 5OR	88	SOD	20
9AU 9HO	275 200	Logs	13		SEF	79	SRR SPS	31
9BW 9WK	175 170	Total Point	s 391.78	5FY 289 5WC 283	52Y 5PU	71 67	SPS STM SHW SMA	25
01725				5AV 261 5LQ 253 5CR 221	SCH SCJ	66 64 63		26
		ARDS pen		BOK 221 BZB 201 SBG 201	SLE SRI	61 63 58	5DH 5LL	24
VK1ZM	774	VK5TL*	89	5MZ 183	SRX SDK	57	SID SLN SEG SXU 6OC	22
2AHH 3ATN	791 1001	6RU 7YY	794 451	5RQ 179 5PM 170 5XN 163	SQR SBY	54 53	5XU	15
4CC	652	9DB • Northern	520	50N 135	SJC	52	SUZ	16
5RG	805		remitary.	5TJ 132 5BZ 131	5CO SPO	44 43	BWAS.	1.5
VK2AKV	738	hone VK6KJ	519	5AX 130 5CE 125	SFO SFO SCA SHM	41 40	5KX 5TW 5VO	12



I heard the bells on Christmas Day,
Their old familiar earols play,
And wild and sweet
The words repeat,
Of peace on earth,
Goodwill to men.

A Merry Christmas and A Happy and Drosperous New Year

ARRESTANCES WHELETS VALUE EMPROY FOR LITE



NATIONAL FIELD DAY, 1956

1. The National Field Day Contest of the Wireless Institute of Australia will be held on Sunday, 12th February, 1956, and will be of 12 hours' duration, commencing at 0900 hours E.A.S.T. and will continue until 2100 hours E.A.S.T.

2. The Contest is limited to Portable Stations operating within the Common-wealth and its Mandated Territories on a power not exceeding 25 watts input to the final stage with the aerial connected, with a special section for fixed stations working to portable stations.

3. A portable station for the purpose of the Contest is defined as one whose power is not derived from either private or public mains, shall not be located closer than five miles airline from the home of the operator(s) and shall not be situated in any occupied dwelling or building.

4. No apparatus is to be set up or erected on the site of the portable station earlier than 24 hours prior to the commencement of the Contest. A station may be moved from one site within a State to another within the same State during the Contest.

More than one operator may be used in the operation of the portable station, provided that all operators are licensed Amateurs.

6. Operation may be on any of the recognised Amateur bands and more than one transmitter may be used, providing that only one transmitter is used at any one time

7. When calling c.w. stations will use the call "CQ NFD" and phone stations will use the call "CQ Nations Field Day" to indicate that they are portable stations. Attention is directed to the requirements for portable opera-tion as defined in the P.M.G. Handbook for the Guidance of Amateur Operators. 8. Sections The Contest is divided into four sections, namely,

(a) Open (b) C.W. (c) Phone

(d) Fixed stations.

The open section will consist of phone and cw. Portable station participants may enter each of sections (a), (b), and (c), provided a separate log is entered

in each case. Logs must be forwarded to the Contest Committee, through the Div-isional Council for membership check-ing in time to reach Box 1234K, G.P.O., Adeleide, not later than Saturday, 25th

February, 1956

10. Logs must be filled in in the following order: Date, Time (E.A.S.T.), Band, Emission, Fower liput to the final stage with the aerial connected, Call Sign of Station Contacted, RST number sent, RST number received, location of station contacted, points claimed. The log must be headed with the title of the Contest, section entered, call sign of the competitor, location of the station. At the conclusion of the log a summary of the contacts must be shown, together with a description of the equipment used including h.t. voltage to the final stage, tube(s) in p.a. stage, antenna used, and call signs of all operators.

11. The completed log must be signed by each of the operators with a state-ment that the P.M.G. regulations and the rules of the Contest have been observed

12. The decisions of the Federal Contest Committee will be final in all matters concerning the Contest.

13. Failure to completely observe the conditions of Rule 10 will lead to automatic disqualification of a competitor

Scoring For the purpose of the 14. Scoring for the purpose of the Freid Day the following constitute VK districts: VK2, VK3, VK4, VK5 (South Australia), VK5 (Northern Territory), VK6, VK7, VK9.

15. Serial numbers must be exchanged during the Contest. Failure to record current serial numbers will mean loss of all points for that contact. Serial numbers will be as follows: The first three figures will be the RST report in the c.w. section, followed by the serial number of the contact. Serial serial number of the contact. Serial numbers may commence with any number between 001 and 100 for the first contact, increasing by one for each successive contact. In the phone section, the first two figures will be the RS report as in the c.w. section, followed by the three serial numbers. In addition the QTH must be given in all cases. Points will be awarded as follows:

Portable Stations-(a) For contacts with a fixed station

within the Commonwealth (Rule 14) including the competitor's

stations within the same State

(c) For contacts with stations in Asia Oceania, North America, \$ points (d) For contacts with stations in other countries other than (a), (b)

and (c) (e) For contacts with other portable stations outside the competitor's own State

Fixed Stations-

(f) For contacts with portable stations in the Contest within the (g) For contacts with portable sta-tions in the Contest outside the

Awards: An attractive certificate will be forwarded to the outright win-

ners in each section, namely, Open Phone, and C.W. Certificates will also be awarded to the winners of each sec-tion in each State and to the Fixed Station in each State with the greatest number of points gained in contacting portable stations in the Contest. Further certificates may be awarded at the discretion of the Federal Contest Committee. The outright winners are not eligible for State awards.

18. Certificates will be awarded to each operator of the winning stations provided each operator has contacted at least 25% of the stations contacted.

CONTEST RESULTS (Continued from Page 19) WESTERN AUSTRALIA VX6WG

VK6CE



TELEVISION STATION OPERA-TORS' CERTIFICATE OF PROFICIENCY

Exeminations for the T.S.O.C.P. will be conducted in Melbourne and Sydney on the second Tuesday in March, June, September, and December, and oral and practical examinations on the succeed-ing day or days. The examination is in three sections:-

Section A-Fundamental Theory, 2

Section B-Transmission Reception and Studio Techniques, 3 hours. Section C-Practical and Oral Test.

Applicants for the examination must be 18 years of age and hold a Broadcast Station Operators' Certificate of Proficiency, or be otherwise qualified to the satisfaction of the Board. Copies of a syllabus of the examina-

tion may be obtained from the office of the Australian Broadcasting Control Board in Melbourne or from the Superintendent, Radio Branch, in each Capital City.

The first examination will be held on 13th December, 1955, for which applications were due on 15th of November. Notification of this examination was received too late for inclusion in the November issue.

DX ACTIVITY BY VK3AHH+

PROPAGATION REPORT

2.5 Me. During the month of October open-ings to the American continents (9900-1200s) were reliable, while European break-throughs displayed more sporadic behaviour (1900-2200s) 7 Me. Conditions on this bend did not show any unusual features. Depending upon noise and interference level, these were the periods of band openings: Kurops: 0000-0000s, long path, 1970-3100z, short path. America and Far

14 Mc Increased sunspot activity tremend-ously improved band conditions. They appear-ed to show peaks during the following periods-0400-13032 for Europe and Seath America, 6800-14002 for Seath Rast Asia 5400-58002 Africa. 1400; for heals Kasi Asia 5400-08002 Affica.

21 Me Following the general brend, this band provided excellent conditions to all continents. However, openings did not appear to be as workable between 250 and 1300z. The American continents occupied 2100-0500z. Breshthroughs to Affica were observed between 6400 and 120z.

6400 and 120xx.

17,78 Mo.: As was to be expected, excellent conditions appeared during the month. Openings being somewhat more reliable in the northern part of our continent, break-throughs were observed in all States, particularly to North and South America. European and Africas contacts have been reported from Queenland.

NEWS AND NOTES

Number and quality of this month's reports leave no doubt that conditions have improved on all higher bands. Admittedly, the DX is a bit harder on 3.5 and 7 Mc .- but there is still something like a challenge connected with it. Do not forget 7 Mc and, especially, 3.5 Mc.!

Did you notice the new form of Prediction charts? Oh yes, the old ones were easier to follow, but this is the only way they can be printed now. Due to the same technicality, the October charts could not be obtained in time. Thank you for appreciating the difficulties!

Up-to-date news on activities in Netherlands West Indies comes from Don PJ2AJ: PJ2AR and his XYL PJ2AU have made QRT in PJ-land and are have made QRT in FJ-land and are now in Venezulea. Any QSL claims will be followed up by ZAJ. FJZAE intends PADFD) is active and QSLs via bureau. Due to illegal operation of a certain FJZMB during the first DXPedtion to SL Martin (call sign FJZMA) in March, '65, prospects of future DXPedtions to this rare place appear to be doubtful

ZD2DCP is looking for VK contacts on 14050 Kc, around 2130z (from 5BY). It is understood that ZL2GX and a ZL1 will go to Kermadec Islands in January, 1858 (from NCDXC).

This is the present activity of ST2's: ST2AC c.w. and phone, ST2AR c.w., ST2DB mostly phone, and ST2NG c.w The 14 and 21 Mc. bands are preferred (from 2AMB).

HL2AA, Scoul, South Korea, was recently licensed and is allowed to use 1.8, 7, 14, 21, 28 and 144 Mc. bands (from NCDXC).

The 3.5 Mc. band provided some g DX during October: WNIAA, WJIDL (3504 Kc.) and CE4AD (3514 Kc.) were reported to be active (from 3ZP, ZLiCl). And here is the echo from "over there": The following VK stations have

† Hans J Albrecht, 18 Belgravis Ave., Box Hill North, E.12, Vic. † Call signs and prefixes worked. 2—zero time—G.M.T

recently been heard on 21 Mc. phone, as reported by Jim Humt, presently in England: VKs 2AKV, 2AVW, NJA, 4EL, 4HR, 6RU and 9DB (from 3ZBO).

Sorry to hear that one of our most consistent and reliable contributors, Ray VK5RK, had to spend some time in hospital. Hope you are home again and making speedy recovery! OTHS OF INTEREST

QYEA OF INTEREST (POWN NCDXC and Was AMEN, 12A, MAINA, VICKW J. N. Shib, All India Resis, Jaiper, VIGKW J. N. Shib, All India Resis, Jaiper, VIGKW J. N. Shib, All India Resis, Jaiper, VIGKWA C. A. Color, Kunding, Service, Resistant Color, Burnery Boogly Researt, Resistant Color, Burnery Boogly Researt, Resistant Color, Review Theorem And Philips Res. ACM, 1974, 19

ACTIVITIES

1.5 Me Frank tQL worked a series of Ws*. Bob NZF reports YJIDL. YNIAA and CZMAD. Bavy Jrashe also heard CZMAD and W. Here at SARR the month's low it as follows: A series of W**. VEIZZ*. SMNAQW. CZMAD. YJIDL. of We

T Me Leurie 2AMB heads the list with KPACCC. VTAKEF. VERNEY. VERNEY. VERNEY. VERLEY. V

GROUND THE STAN DEFENDENCE OF THE STAN OF

14 Mt. phone IAME OAZA*, Neville IAFL:
PYZAIIS* 3JA CKIAK*, CENCZ*, CENUJ*,
CESPV*, Europeans*, VKIRA*, YVBAS*, TIZAMA*,
CKSAF*, IKE: 3VIAS*, TORAD*,
ZBIH*, Burocampa, EPG: HCKE*, GGEPO*

Size TE: CVGGD*, COGDL*, ENTERONAL MADE TO THE TOTAL STATES AND THE TOTA

EZSWZ
TIFE MG. NOTH BAFE DU-, WG* Angus

RIF KNE', WG* 3JA Ws*, FFA WG* and

RIF KNE', WG* 3JA Ws*, FFA WG* and

RIF KNE', WG* 3JA Ws*, FFA WG* and

RIF KNE', WG* ANGUS ANG

REFE QSLS WERS RECEIVED BY SAME, VKIDY, KVHSK, JIA ZSRAB, CSRAC SHI RAGAZ, FERKX, SSME, MPHERI, TFSPY, ZBLAJK, SWO: GDNIDQ, MPHERS, VQ4FG, OASM, BERERIS HRIZ, VQ4FG, VY5DR, GAYL, Red & Raifeer: KTIWX, HRSHK

Thanks are extended to all contributors. Christians Greetings to fellow Christians

AUTO TRANSFORMER

VK3QG requests anybody who obtained an Auto Transformer, 21 amps. S.Ph., from recent hand-out to contact S.Ph., from recent hand-out to contact him. His address is C. P. Smith, 1333s

Gregory Street, Ballarat.

Amateur Radio, December, 1955

"HAM" RADIO SUPPLIERS

BARGAINS GALORE. COMPARE THESE PRICES

PROMPT ATTENTION TO YOUR NEEDS.

NEVER CLOSED BETWEEN 9 A.M. AND 5.30 P.M.

Command Transmitters: Freq.: 4-5.3 Me., 5.3-7 Me., or 7-9 Mc. Complete with valves and crystal
ATS Transmitters, covers low free, bands, also bandswitched 3 bands 2-20 Mc. naing 878 Mc./xtai occ., 807 buffer/dbler, pair 807s in parallel; 878 grid mod. All stages metered with 0-5 Ma. meter (250 Ma. fa.d.); less Valves £3

AT5-AR8 Junction Box and Cables ...

ARS Cables AT5-AR8 Aerial Coupling Units, contain one 9-5 Ma. meter ext, therme couple, single gang variable condenser, keying relay, serial change-over d.p.d.t 12v. 48 ohm relay, etc. Ideal

English Rebecca Transceivers, new, turret tuned. Contains 17 valves: EF50, 884, 68N7, VR150, RL37, RL18, VR135, 2050, 5V4. Plug-in 28 Mc. EF50 Lf. strip. Plug-in turrets. Six bands, approx. 200 Mc. Unit complete and packed in case ready for rail. No packing charge £9/10/-

for wrecking. A Bargain at

WANTED TO BUY: RECEIVERS. TRANSMITTERS, VALVES, ETC.

English 5BP1 CRO Indicator, new, complete with seven EF58 valves, one 879, one VR54, and one 6H6. Packed in case ready for rail. No packing charge
U.S.A. I.F.F. Units, comp. with valves, less genemeter, £4/17/6
Meters-0-5 Ma., 11 Ma. movement, round 2" type, new, 22/6
Meiers-0-10 Ma. 2 inch round, Triplette, new 17/6
Meters-0-100 Ms. 2 inch square, scaled 0-300, new £1
Meters-0-150 Ma., 2 inch square, new £1/7/6
Meters-0-20v., 5 Ma. movement, square type, 2 inch, new, 15/-
Meters-0-2.5 Amp. R.F., square type, 2 inch, new 15/-
Phone Plug and Cable (4 ft.) American 4/6
Phone Plug and Cable (6 ft.) Australian 3/6
Output Transformers, well known make, 6,000 ohms c.i. to 600 ohms, 40 Ma. Max. level 30 db., new, to clear 35/-

Command Receiver Racks, twin, brand new in carious, includes
two relays, switches, phone sockets, etc £1
Command Receiver Right-angle Drives 2/6
Command Receiver Flexible Drives, 12 ft. long 11/-
ARS Receivers, 11 valves, 6 bands, continuous coverage 150
Ec25 Mc., BFO, audio controls, calibrated dials £15

LARGE RANGE OF VALVES AND CRYSTALS IN STOCK

Canadian type AR301 V.h.f. Receiver, mass 3-954, 1-955, six SAC7 LF, stages at 30 Mc. Easily converted to 144 Mc. BC733D Crystal Locked Receiver. Tuning range 108-120 Mc.

LF. 6.9 Mc. Valve line-up: three 717As, two 128G7s, one 12SH7, two 12SB7s, one 12SQ7, one 12A6. Also contains six miniature relays, less stal. Packed ready for rail. £5 each.

American Low Freq. and Broadcast Band Receiver, BAX, 7 valves, 4 bands: 286-390 Kc., 300-500 Kc., 500-900 Kc., 900-1500 Kc. LF. 160 Ko. Calibrated vernier dial, etc. Ideal

Aust, Wavemeter Type AWB1, high freq. 145 to 165 Mc, approx. Valve line-up: 958 diode connected into two type 1N5 valves cascode connected d.c. amp. Complete with spare set of valves and 3 inch 0-1 Ms. meter. Circuit enclosed. Contained in fist grey metal carrying case. Packed ready for rail, £5/17/8

American Headphones, low imped, complete with cable, 25/-American Loran Indicators. Contains 28 valves including 14-6SN7, 2-6SL7G, 9-6H6, 1-6SJ7 and 5CP1 C.R.O. tube. Complete with 100 Kc. R.C.A. Xtal and Valves £15

5FP7 5 inch electromagnetic deflection with socket housing. deflecting colls and controls £3

Sam Radio Suppliers and Staff cordually foish all Clients

A Merry Xmas and Brosperous New Year

MELVILLE STREET, HAWTHORN, VICTORIA

North Balwyn Tram Passes Corner, near Vogue Theatre.

Money Orders and Postal Notes payable North Hawthorn P.O. Packing Charge on all goods over 10 lbs. in weight, 5/- extra

Page 16 Amsteur Radio, December, 1955

FIFTY MEGACYCLES AND ABOVE

FREQUENCY CHANGE FOR FIFTY MEGACYCLES BAND

56-60 Mc. available as from 1st November 1955! 50-54 Mc. closes on 31st January, 1956!

power, with continue on with the tasts, as some property with the continue of the continue of

NEW SOUTH WALES

ANY SOUTH WALES

A very integrating levius was given by Mr. Bernard of the Cultiber seasing of the Control of the

to turn your beams on Tunut at that time.

30 Mc. is showing signs of life. Stations hased on the band looking for contacts were Advit. J.X. 21E., JARO, JAN, JAPR. ABM.

Coming events of the Group are Sunday, 30th November, Fox Runt with IAZO as the fox. 4th December a test, with the cave explorate, the possibilities of using radio communication within the cave exploration of the possibilities of using radio communication within the caves for exploration and rescue work—ILO.

At the last for hunt the first bleing ploes and the last for hunt the first bleing ploes and the last for hunt the first hand the last for hunt for the last for hunt for the last for hunt for hunt hunt for hunt for hunt hunt

were 18.8 a. w. MAII. Who was down both ways, here we used a 20. This wife we have a form both ways. Here we used a 20. This wife we have a find a find a grand plane set. An ARMI installed, and a grand plane set who was kept have leading centrale 18.47 1800; who was kept have leading centrale 18.47 1800; who was kept have leading central 18.47 1800; and the way hours, here in our first the property of the set of th

SOUTH AUSTRALIA

Very little news this month chaps, the main tensor of interest being centred on 144 Mo as usual. Men SEC has completed his 144 Mc mobile installation and several tent have already been carried out between Ken's mobile in and the home station rx feeding a tape

meets been certified on evertices and head of the count o

WESTERN AUSTRALIA

THE YEAR ANY PALLS
THE YAR. OF THE PALLS
THE YAR OF THE YAR OF THE PALLS
THE YAR OF THE YAR OF

hope that his visit will be repeated by him and by any others who visit this State. 66 Me - Despite improving conditions on 10 mx, this band has not yet opened to the Esst. Reported taxi interference on 76 Me. from the

60 No. Despite improving conditions as in the Copyright of the Copyright o

tions Rolo! Pinally, don't forget the 144 Mc. Transmitter Punt and Christmas meeting to be held or Saturday, 17th December. Cars should assemble in Kings Park at 8 p.m. Bring along you MLs and XYLs for an enjoyable night.—SZAA.

TRADE REVIEW PLATED CRYSTALS

With the trend towards vacuum mounted and plated crystals, it was considered worthwhile to make a few

checks with them. The most noticeable advantage was the greater activity of the plated type, possibly due to the method of mount-ing, which removes the damping effect of pressure mounting. As the crystals are soldered in position, there is no chance of accidental movement. indicated that much higher crystal curfracture than is the case with the conventional crystal.

The only known disadvantage is the possibility of faulty plating.
Further improvement can be made by vacuum mounting the crystal in a tube envelope. When so mounted, there is no possibility of dust or other foreign matter affecting the crystal. Best of all, from the Amateur point of view, contents of the envelope are visible, thus saving the necessity of pulling the assembly apart to see "the works."

As nine-pin miniature envelopes are used, it is possible to mount eight crys-

used, it is possible to mount eight crys-tals in the one assembly.

Tests were made for drift using crystals between 8 and 8 Mc. Starting from cold, the vacuum mounted crys-tals drifted less than 50 cycles before settling down, taking less than two minutes. Similar tests using unplated, pressure mounted crystals showed drifts approaching 1.5 Ke

Although either gold or silver can be used for the plating, local production is being limited to silver, as the extra cost for gold is considered uneconomical Our thanks are due to Bright Star Radio for making crystals and facilities available to us.

S.W.L. SECTION

VICTORIA

The Group met in the club room at HI Quoes Street on the last Turnday of the motth and 23 members were present. At this meeting we are not cour former Secretary, Gernard Lane, who must reagh for health reasons. We here in VC wish to thank you for services rendered and we wish you a speech recovery. New Storey, we wish you a speech recovery. New Storey for this page. New Council representative is fan Hunt.

New members for the month are 12-year-old Robert Tait, of Blackburn, M. McDonald, of East St. Kilda; E. V. White, of Bentleigh. To these chaps we extend a welcome to the Group and hope to bear from you regarding you have the company of the compan

ALLASTRALIA

From Len we received news of the Group activity, stating that they are planning via to the PMG Relay Station at Bonythorn as SCL tx at Brooklyn Park.

New correspondents from VK land are Erk M. Grick, VKS; Kevin Bickneil, of Inglewood Rodger Runston, VKT; and Richard L. Locker-ble, of VKI. We are very pleased to hea-from you chaps and all logs are gladly received

THE RESIDENCE

The Heard ZL DX Contest run by the VKI Division of the W.I.A. in September of this year was won by David Rankin, WIA-1303. Congratulations David on your marvellows

E.W.L. CALLS

To those associate members of the VKI Division of the W.I.A. who have not yet made application for their avel number, pleases do so by writing to the Secretary W.I.A. HI Queen Street, Melbourne, as soon as possible. To VKI members, make application to Secretary W.I.A. WKI Division. (A: SE Daley 3t. Grassmere, S.A. WKI Division. (A: SE Daley 3t. Grassmere, S.A.

So once again our Festive Season has come around. To all who have corresponded with me and sent reports of interest for this page, I take this opportunity to thank you all.

A very Merry Xmas and Reppy New Year to you all from VK1-9, and all s.wl. and Amsteurs everywhere.

NEWS ON THE BAND

288 Ma.: Prom WIA-L2002: VKs 2AUX, 2RL 3QO, 3ZBO, 3ZAI, 3ZAQ 160 Ms.: From WIA-L3003: VKs 2HE, 3CB. 3KD, 3ZAI 3ZBB, 3ZBO, NE, 3ZAD, 3UG, 8ZL. 3PO, 3ZBK, 3AAP, 3AKR, 2ANK.

Ma: From WLA-L3003: W4, 8, 6, YL, ZL

VKS, VSI, W. ZLI-4, ZMS, DUN, FF, EEL, J Jack Clayson GG, KV4, KDE, VKI, VKS, ZL, ZSS, Erle M. Grick tVKS) EES, GE, CNS, KAS, ZL, W. VK, Kevis Bisknall Inglewood: 4ST, VEZ, W. KAS, KAJ, J XZJ, DLA, VEZ, VSI, KRS, KXS, KA, J Redger Dunnian: W. KGS, JAS, PT3, ** Redger Dunsi VSS, G3, KP6.

7 Me.: Kevin BickneS: FKRAR, VKSWI. WIA-L6604: ŽLI-J, WI-0, TINGC, VES, ZL WIA-L8063: VEZ, VEZ ES Ma.: WZ, 4, 0, KLTBJW, KLTAV, ZL,

* Compiled by John Wilson, WIA-L3004, 3t Rayment Street, Alphinston, N.S. Victoria

MICROPHONES FOR EVERY USE CRYSTAL MICROPHONES

COMPLETE Gelese T30-Bakelite case mounted Hand

Geless T30—Bakelife case mounted Hand Microphone Type E3/12/-Geless M6005—Ball Type Microphone, chrome plated cage E5/18/11 Geless M600/- Ask for Type M600, complete with vol control E6/18/11 Geless M601—Ask for Type M600, plete with base ... £8/16/1 Guless Medi/V—Ask for Type Medi, complete with vol. control £7/16/2 Geless 1100—Crystal Microphone with pwitch

complete with two controls of \$74,50 cm of \$100.00 cm of \$

VELOCITY OR RIBBON

MICEOPHONES

Gelees 418—Double Ribbon type with awitch, complete with TL350GR Line Transformer £15/15/-Geless E59/415—Type 418, complete with desk stand and TL250GR Line Trans-

cash stand and TLESOER Line Transport
Gelse Mills Fribund Transform — Double
Hilboon type with worth. £18/1/Elso type with worth. £18/1/Type 156 with 648 stand £18/1/Esphry 1884. 1888. 1880. General
SMA. Grid. 1888. 1880. General
SMA. Grid. 1888. 1880. of change
SMA. Grid. 1888. 1880. of change
Esphry 1884. 1888. 1880. of change
Esphry 1884. 1888. 1886. of change
Esphry 1884. 1888. 1886. of change
Esphry 1884. 1889. 1886. of change
Esphry 1884. 1889. 1889. In the change
Esphry 1884. In the change
Esphr

STAND ADAPTORS Gelese SEEL For 400 series Mikes, 7/6 Gelese SEEL For 1200 and 416 series

SPECIAL DISCOUNTS TO

AMATEURS WILLIAM WILLIS

& CO. PTY. LTD. 428 BOURKE ST., MELB'NE

Phone: MII 2426

FEDERAL, QSL, and



DIVISIONAL NOTES

FEDERAL
Fed. President: W. T. S. Mitchell, VERUM.
Fed. Secretary: L. D. Bowle, VERDU, Box
2611W, G.P.O. Melbourur
QSf. Barean: R. E. Jones, VERR, 23 Landale
Street, Box Mill. Ell., Vertico, VERKU, 10
Park St., West Brunswick, N 19, Vic.

NEW SOUTH WALES

NEW SOUTH WALES

President III. COVIN, VEXPC.

BORNO, GREEN, NEED, VEZACH, Box 1756,

BORNO, GREEN, PRICH, VEZACH, GREEN THE SHORT SHOW A SHORT SHORT SHOW A SHOW A SHORT SHOW A SHOW A SHORT SHOW A SHOW A SHORT SHO

VICTORIA President G Dennis, VKSTF Secretary: D. L. Robinson, VKSALD, Administrative Secretary Mrs. May, C.O.R. Houze, 191 Queen St., Melbourne. Meeting Night: First Wednesday of each month at the Radio School, Melb. Technical College. Divisional Seb-Ediler. Phy! Moncur. 25 Union Road, Ascol Vale. 981. Barrast: Inwards and Outwards—W.I.A., 191 Queen St., Melbourne, C.I., Vic.

191 (queen N., Meilboliros, C.T., Vile.

Zanc Carregunderic Crastal Weslern: W. J.

Zanc Carregunderic Crastal Weslern: W. J.

Zanc Carregunderic Crastal Weslern: W. M.

Weslern: W. Wines, 46 Cranley St. Warrantsbool, and W. Zimmer, VRAWE, 79 Sikens

W. Siller, S. W. Warrants, S. W.

Weslern: M. Folle, V.NSG, 201 Lenno Ave.

Weslern: M. Folle, V.NSG, 201 Lenno Ave.

Jano St., Maffra, Novik Weslern: C. Cass.

Cumming Ave., Birchly.

OTTERNST-AND

President: Frank Bond, VK4ZM. Secretary, W J. Rafter, VKGPR, Box 6381, G.P.O., Brisbane. Meeting Night: Fourth Friday in each month at the Royal Geographical Society Rooms, Ann the Royal Georraphical Society Rosma, Ann Street, City Divisional Sub-Editors: F B Bond, VK4ZM, and W J Rafter, VK4FR, QSL Burcus Inwards—JFHes, VK4ZF, Wanda St. Buranda; Cutwards—Miss Clair O'Brien, SI Jardine St, Stafford.

SOUTH AUSTRALIA

Freident: G. M. Bowen, VKEXU.

Secretary: B. W. Austin, VKEXGA, Box 1294K,

G.P.O. Adelaide. Telephone: J. 1151

Messing Night: Second Tuesday of each month

at 71 Waymouth St., Adelaide.

Divisional Sub-Editor: J. M. Coulter, VKEXD,

95 Commura Ave., Ackland Gardmin.

QSL Bereau: Gen Luxion, VK5RK, 27 Belsir Rd., West Mitcham, S.A. (Inwards and Out-wards).

WESTERN AUSTRALIA President: F. A. T Tredres, VKSFT. Secretary: J. Mead, VKSLJ, Box N1009, G.P.O., President: F. A. T. Tredws, VERIT...

Meed, YEAL, Bax Niloz, G.P.O.,

Serestay, J. Bax Niloz, G.P.O.,

Meeting Place: Perth Technical College Annexe,

Mounta Bay Road, Perth,

Meeting Night Third Tuesday of the month

Meeting Night Third Tuesday of the month

Actionsen, VAEWZ,

P.O. Box 177, Geraldion.

GEL Baseas: Jim Rumble, VAEMIZ, Box FJMS,

GJ.G., Perth, W.A. (Investe and Outwards).

TARMANIA

President: F. J. Evans, VKTFJ. Secretary. W. G. Teit, Box 371B, G.P.O., Hobert, Meeting Night: First Wednesday of each month at the W.L.A. Club Room, 147 Liverpool 5t., Meeding Might: Park.

at the W.A. Club Room, 147 Liverpoor and the W.A. Club Room, 147 Liverpoor and 19 Live

Prevident F. M. Nolan, VKFN
Seorstary, D. F. Lloyd, VKBOQ, C/o, O.T.C.
Receiving Sation, Fort Moresby,
Divisional Sub-Editor: W. Holland, VKSBW,
C/o, P.O. Box 16, Rabuil,
SEL Bereau; D. R. Besdel, VKSDS, C/o, P.O.
Box 167, Port Moresby,

FEDERAL AMATRUE TELEVISION

An item of extreme interest to all Amateurs was the announcement by the Postmasterator General Rion. H. L. Anthony, M.H.R. I have permits would be granted to licensess of Australian Amateur stations to engage in adjectation Trillate Americar italions to snapage in seleviation of the same past the lordicate has been destined that long past the lordicate has been destined that long past the lordicate has been destined that long manufaction switching to them. Not decide that now permission has been granted. American conceaser for the medium, the contract of the contract

AMATEUR TELEVISION IN GREAT BRITAIN In view of the above, it is worthy of note that an Amateur Television Convention is being organised by the British Amateur Television Club.

Club.

This, incidentally, is not the first. Another was held in 1891 and experiments were conducted as far back as 180.

The fact that a convention is being held proves that interest quickly grows and it may not be long before such a convention is held. B.R.G.B. NEWS SERVICE

It is interesting to hear that the Radio Society of Great Britain will soon be commencing a News Bulletin Service on a frequency of 3,500 and the service of the service of the service of the service of the country. The heads of a small committee, aims at a "newsy" up-to-the-minute broadcast.

FEDERAL OSL BUREAU RAY JONES, VESSLI, MANAGER

It is unferstood that in January next, ZLECK is going to the Kermadee Island and will be eatily from that occution.

Leny, of VQRAB, states that a VQ8 is in VQ8 and frying to get a rig on the air despite many difficulties and without much local many directives and without man local season agenties.

Bhutan on 14 Mc. c.w.
Ray VKRRI * advises that he is now the only active station there since VKSOK has left Norfolk Island. FK&AI has left New Caledonia and is now located at Dept. Civil Aviation, Marguane Air-port, Marrelles (France).

FREAC.

George Bilott, ex-GRLI, now VERLI, at 825
MacDonald Avenue, Montreat, Quebec, Canada, is active on T Mac. cw. George is in charge of and Lv. services in Canada, which keeps him well occupied, nevertheless he still the same keep Amstern as ever and is on the lookout first VK QGO as VERLI was with VERSIZ in Aurent, and since then he has QSOcd VKI, 3, 4, 5, 6, 7 on 60 metes.

FEDERAL AWARDS W.A.V.K.C.A. AWARD

Parther applications have been received as Parther applications have been received as the parther and the parther application of the I have discovered that this is not an easy award to secure atthough it was intended that it should drive up the rules. The one and only reasons why it is not says from the parther and the parther application of parther applications of the parther applications of receivery do not \$8 t. Only one card for the Northern Territory per applicate is required common Amatours who can quarify for the waved except that they lack the VKK Northern waved except that they lack the VKK Northern and the parthern applications are sent to the parthern applications of the parthern applications are proposed to the parthern applications of the parthern applications are the parthern applications are proposed to the parthern applications and the parthern applications are proposed to the parthern applications and the parthern applications are proposed to the parthern applications and the parthern applications are the parthern applications and the parthern applications are the parthern applications

Territory and Ferritory Amateurs who are still Territory and Ferritory Amateurs who are still recident and those who are not new resident are asked to please send out their cards. This is not asking much, but it means a great deal to the many operations who need that card for their sward. All Scarlett, WZCC, tells me the Panilly gold a card from one of the Farritory their sward. All Scarlett, WRUC, tells me that he finally got a card from one of the Territory gang after 7% years!

Certificates were housed during the month to the following Eugene B. De Turck, WSYC;

Albert E. Scarlett, WSCC; W. W. Simpson, WSKFL. Total Certificates issued, 18.

I have duoe a little research with a view to finding out whether it is true that DX is easier to work from some parts of this country than others. As a basis, I took the D.X.C.C. record of the three leaders in each call area and carefully examined them to secretain what they had worked and when they did so. is secured a lot of data, but quite a lot of it did not really answer all the questions that had in mind, since I have no data on the gen-used and the antennae systems. However, it did discover that the lenders seem to follow

the sea pattern, which is interesting. The interesting distance of the continuous design are not interesting design and the large sea warming up there are the sea of the large this.

The 7 Mc. band provided the least DX so as confirmations in the D.X.C.C. records

and The 3 Mic hand provided the least DX to a second control to the DX CCC. Freeded To a second control to the DX CCC. Freeded To I notice that the VTP stations seen to the second control to the sec -Gordon Wayton, VKSXU, Awards Manager

NEW SOUTH WALES HUÑTER BRANCH

The October meeting of the Hunter Branch of the N.S.W. Div. of the W.I.A was wall attended by Amateurs. XYLs and YLs of the

Amateur Radio, December, 1955

Branch to hear Bill Storer tell of his super ences in VRI land. Bill gave a very integer ing account of things in VKI and showed som. Arrangements are well in hand for the Hun for Branch Kinns Social to be held on Saturday the Desire of the Store of the Store of the title The social committee has promised the inter The social committee has promised with the This social committee has promised not internet to come along and join in the Aur

title The social committee has promised some starting surprises for this years." "Ga." so do There will be no meeting of the Hunter Branch in December, the next meeting will be held on Friday, 12th January, 1809, at 8.5 p.m. Later to YakhaWK, the official station of the Hunter Branch, each Monday night on 1410 Ke, at 8.0 p.m. for further details.

Ernin 277 has at last orderined see ART Done and the service of the URL line for Conference and the Service of the URL line for Conference and the Service of the URL line for Conference and the Service of Service of Service of Service of the Service of Se

VICTORIA

At the secretal meeting George And gave most interesting hecture on "Annillery Equipment" in both home stations and for field activation of the second state of the second there which brought about a good laugh that of a very partity sentiement, i.e. a certification of the second there is not second the second that is a constant of the second that is the second that is the second that is a constant of the second that is the seco

with the rest of the audience. Can't help for ing what a wooderful lidea this would be a some of the members who have the knowled to give very excellent lectures, but who is the confidence to stand up in front of a lar studence. Perhaps this might be a way if the mombers to benefit from some very into soling lectures; that have hitherto been lost

New members to the institute were welcomed They included 2M. Barry Duggan, as a ful noember Messra Johnson, McKeller, Wescott Hobenelis, Thomson and Scarby as Associated and Messra. Kayne and McDonell as Juniol Associates Members were all very pleased to welcome back Geoff Clarke, 2DF, ex-4FD, wha has been abroad for the past three years.

can will take the firm of a Xiana Break-or will take the firm of a Xiana Break-or to which the XXXII and harmonica are core of the work of the tangent of the control of th

The second secon

they were all very interested in our activities here in VK. Their activities are much the same as curs, although the fox bunt is a compeletely new idea to them. Mobile work is a very popular past-time on all hands in G land and of a recent relly they had 75 mobile units attending.

citizations are to see the second process of the second process of

longingly of his rotary clothes line. Max ZES recently spont a boliday in VKS where he was entersitiend by the Predient, measured to the predient of the predi

The so me is a bush would be prevent supported to the season of the season was the season of the season white all the XVLs and barmenics thought was some principle spot, it was down at the bench processor of the season which was season with the season which was season with the season was season which was season with the season which was season which will be season with the season which was season which will be season with the season which was season which will be season with the season which was season which we will be season which was season which will be season which was season which will be season which was season which will be season with the season which was season which will be season which was season which will be season which we will be season which we will be season which will be season


a solid form risoder which passed three is in of passing tunder the root, a lead was sho off as right angles to the lx, power supp battery, etc., which was completely buried top with a huge stomp of an old tree a some replanted weeds. Back at the junction under the root, the 200 ohm line continued was lerminated with a root tight to the root was lerminated with a root tight to the sosen form to five feet they in the annu. It shades sure did a bot of digitary that day lade sure did a bot of digitary that day

SPECIAL

BRIGHT STAR RADIO are pleased to announce an addition to their line of Crystals. We are now manufacturing—

VACUUM MOUNTED CRYSTALS

for general communication frequencies in the range 3 to 14 Mc. Higher frequencies can be supplied.



- Approximately three times the activity of normal plated crystal due to the absence of air damping.
 Better frequency stability due to the absence of air friction.
- (3) Plating cannot deteriorate with time and cause frequency shift.
- (4) Two or more crystals can be mounted in the one envelope and thus save space.

Price depends on the tolerance and frequency required, and will be quoted upon request.

BRIGHT STAR CRYSTALS may be obtained from the following Internate firms: Meser: A. E. Harrold, 123 Charlotte St., Brichmer, Gerner & Geodenna Lief, 19-309 Roundle St., Adelande: A. G. Heulling, 126, 131 Firms St., Adelander Radio, 400 Localella St., Michourne, Precs Radio, 5-6 Angel Places, Sydney, 21 20 Collins St., Rickett, Collins

BRIGHT STAR RADIO

46 EASTGATE ST., OAKLEIGH, S.E.12

UM 3387

This, however, had the desired effect and most of the competitors followed the false lead to the rock in the sand. All were able to ealoy the fan as all competitors were on the same before the tx was actually located by 3ADU and 3OJ who dead-beated for first, closely tourwed by 2AD and 3AJY in the tree we, 30J won the privilege to hide the tx the next hunt.

The hunt wound up with a picnic tea on
the beach, which all seemed to enjoy, an order
to prevent clashing with the Zone Convention
at Colas, the November hunt was postponed

BI-MONTHLY SCRAMBLE, OCT RESULTS BI-MONTHLY SCRAMBLE, OCT RESULTS. The first Bi-Monthly Victorian Scramble was beld on 3rd October, 1955. A good number of Victorian Amateurs porticipated. The majority of contestants operated on the 7 and 144 Mc. bands. The Scramb.c was a complete success, although a larger number of logs would have been desirable.


been desirable.

The top score in Section C was SAAP with
The top score in Section C was SAAP with
The top score in the score in T. A. 14 at
256 Mc. Section D was won by WIA-1327
ISAAT who listered on T Mc. only.

6-e4isn C SAAP He points SAAP W 15, 26LH
A SAAP 18, 70 D 2, 75 D 2, 75 D 2, 75 D
WIA-1365 H pts. Citeck log. 3AMM. CheckIng: SHE and AAMI.

Ing: SHE and SARH.
Transmitting Amaicurs resident in the Saats
of Viscoris and Short Wave Listerers resident in
that the next Scramble will take piece on Sin
December, 1985. The raise can be found on
page 10 of 24.8. September, 1985. Long must
you. Dly., 191 Queen St., Melbourne, C.T., on
or before Jais December, 1888.—ASAHH.

PREDICTION CHART FOR DEC., '56



Aus. to West. Europe—Short Route.
Australia to South Africa
Aus. to West. Europe—Long Route. E-Seigen Australia to Medillerranean.
Western Australia to Western Europe
Western Australia to Western Europe
Least Aus to North East U.S.A.
Western Australia to North Meet U.S.A.
Western Australia to North East U.S.A.
Western Australia to North East U.S.A.
Western Australia to North East U.S.A.
Western Australia to South Africa.
Lastern Australia to Central America.
Western Australia to Central America.

CENTRAL WESTERN ZONE

with him all the best of lack it is been papers of work. In loosing one membrane papers of work. In loosing one membrane papers of work. In loosing one membrane papers of the lack of the lack of lac

SOUTH WESTERN KONE

There is not very much at all this no return to the control of the Colar at the Convention Well chaps, as the will most likely be the last notes for 1980, I will wish all zone members and XYLs and all members of the WI A a very Happy Xmas and a Prosperous New Year for 1996.

NORTH EXPERN ZONE

It is expected that Doug, some to be VIKLIA.

It is expected that Doug, some to be VIKLIA.

It is converted to the three thre the Committed rice, mer how Aire EAT is given by Faire AIV in and that, Faire AIV in a single property of the second seco

GERLONG AMATEUE RADIO CLUB
The visit of Earl WIDEC/MM, Ro
Officer on the "Proneer Bry," created an agable surprise. Many of the Victorian lads
changed QSOs and QSLs. Earl addressed c
members on iv. sed its place with Apar

Find 3FG per two interesting table on telePful 3FG per two interesting table on telePful 3FG per two interesting table on teletrace and the second of the second of the second of the
two interests of the second of the
two interests of
two interests o

QUEENSLAND

QUEENSLAND

After quite a rew monthy shearer, notes from
the real property of the control of the
three in the team. Single months are property
to the team of the team. The control of the team
to the team of the team of the team of the
team of the lab to team of the team of the
team of the lab to team of the team of the
team of the lab to team of the
team of the lab to team of the
team of the lab to team of the
team of the team of the
team of the
team of team of team of the
team of team of team of team
to team of team of team of team of team
to team of team of team of team
to team of team of team of team of team
to team of team of team of team of team
to team of team of team of team of team
to team of team of team of team of team of team
to team of team of team of team of team of team
to team of team beauer-live and within the state of the stat

Well, the notes may be a bit loose, but give your acribes a chance. Remember the Christmas "Do" at Annac House on 17th December, Roll up one and all and make it a great success. A Merry Christmas and a Successful New Year and with the bands opening as they have been, it should be just thet.—42M and 4PR.

AAI returned from Subous where he visited thacks of IBGO and SPA, his since Chande bugs out of this speech sum, and is twying a dynamic mike. His size put together a 50 chm steading mike. His size put together a 50 chm steading chana, so zone effected nationane should soon be chana, so zone effected nationane should soon be in operation. Size is sufficient to the control of the

Summer is critally upon with a ven-factor at the control of the control of the factor at the control of the control of the marry 100 degrees and that is quite a high resulting the Townsville. It has also brought in resulting the Townsville. It has also brought in coupled with the dust on the invulsions and coupled with the dust on the invulsions of the coupled with the dust on the invulsions of the falls and whacks the static discharge that takes place on all b. Illnes. fall are "maked for staff discharge variables on all the limits clot the form of a fills below the staff of the most of the fall of the staff of the

A MUST FOR EVERY RADIO ENTHUSIAST

WORLD RADIO HANDBOOK FOR LISTENERS

BY JOHANSEN

Price 15/9 and 9d. Postage

This book contains a wealth of information and includes Long, Medium and Short Wave Stations of the World, Frequency Stations, Broadcasting Receivers, etc.

OBTAIN YOUR COPY NOW FROM-

McGILL'S Authorised Newsagency

183-185 ELIZABETH STREET, MELBOURNE, C.1, VICTORIA, Est. 1860

"The Post Office is opposite"

Phone: MV 1475-7



PERFORMANCE DEPENDARILITY

APPEARANCE

U.L. Amplifier. MANUFACTURED BY-A & R ELECTRONIC EQUIPMENT CO. PTY. LTD. 378 ST. KILDA ROAD, MELBOURNE, VIC

For VALVES-

See "Radio and Hobbics" of February, 1935, 17 watis

Details from these EXCLUSIVE A & R DISTRIBUTORS QUEENSLAND TASMANIA: Homecrafts WEST. AUST: A. J. Wyle Pty. Ltd., 1011 Hay St., Perth. A E. Harrold, 128 Charlotte St., Bris 220 Klinsheth St., Hobart

* TYPE 931 (931-8; 2 or 8 chms; 931-15; 3.7 or 15 chms):

26 WATTS: 38-39,006 c.p.s. 6L6, EL37, Primary: 4.500 ohms. KTR, etc. SCREEN TAPS: 19% of Plate Z.

SYDNEY - N.S.W.:

United Radio Distribu-

tors P/L, 175 Philip St.

Homecrafts Pty. L14.,

100 Clarence Street.

P.R.: Plus or minus 1 db 10-50,000 Leakage Inductance: %P/%P: 15 mB. Maximum. Prim/Sec: 15 mB. maximum.

SOUTH AUST: Gerard & Goodman Ltd., 196 Bundle St. Adelalda

MELBOURNE & VIC. J. H. Magrath & Co. Pty. Ltd. Homecrafts Pty Ltd. Motor Spares Ltd. Radio Paris Pty. Ltd Warburton Franki Ltd

Response: 10-50,000 c.p.s

Valves: 6VS, 6BWS, MT61, ELM, etc. 19% Sereen Taps.

FULL DETAILS FROM

THESE EXCLUSIVE

ALR DISTRIBUT

AZI in constant found with KABOO re vortable to the property of the property o

SOUTH AUSTRALIA

SOUTH AUSTRALIA

Well, Riders, put have no doubt heart of my resent territying experience. Earns evenings advertenity washered into one of those low devertenity washered into one of those low devertenity washered into one of those low that we have a support of the W.A. to with presidents, secretaries that of the well, and the well of the we

all failmant were most accorded and information and to make a remark that the control of the con

WESTERN AUSTRALIA

WESTERN AUSTRALIA

The small mouther meeting of the VFZ DirtRoy Plant. Buger 1972, gray the locking fact the
Roy Plant. Buger 1972, gray the locking fact the
Roy Plant. Buger 1972, gray the locking fact the
Roy Plant. Buger 1972, gray the locking fact the
Roy Plant. Buger 1972, gray the locking fact the
Roy Plant of the western fact the locking fact the
Roy Plant of the locking fact the the meeting are
Roy produced changed in the the meeting are
Roy produced change fact the the meeting are
Roy produced the locking fact the locking are
Roy produced the locking fact the locking are
Roy produced to the locking are
Roy produc

Asset and Selegon infallity. Your arrives the control of the contr

TASMANIA

TASMANIA

Les TE street on which call over the other one and the street of the term of the control of the last street of the

change from the usual run of spon-gramme. I rather gather though, Len. QSL position is not the best at the

INDEX TO VOLUME 23-1955

NORTHERN ZONE

NORTHERN ZONE

A few are getting ready for the opening of
these contracted beams and rise are ready. The
these contracted beams and rise are ready. The
these contracted beams and rise are ready. The
and ILL is now mobile. TPR and ILL have
not giving it and if Mr. DIX beams at there
there giving it and if Mr. DIX beams at there
forey. TIL has moved from Stanley on the
forey. TIL has moved from Stanley on
the air last week—the first time for
man on the air last week—the first time for
ments. TOL has completed his rebuild.

HAMADS

1/- per line, minimum 3/-, Advertisements under this heading will only be accepted from institute Members who desire to dispose of equipment which is their own perdispose of equipment which is their own perdispose of the month, and remittance must accompany advertisement. Calculation of cost is based on an average of six words a line. Dealer's advertisements hot accepted in this column.

FOR SALE: 100w, Station, TA12D Transmitter, Modulator and Preampli-fler, band switched 80, 40, 20 metres. plate and aerial meters; R1155 Receiver speaker; all complete power supplies, 240 voits. BC221-D Crystal Freq. Meter, cal. chart, spare 100 Kc. crystal. £115 the lot. A. Girling, Dunedoo, N.S.W.

FOR SALE: Labgear wideosand couplers 80, 40, 20, 15 and 10 mx, 35/- each. Two 81%, £3 each. O-15v. AC Meter, 15/-. 85 Kc. LF. Channel with three 85 Kc. LF. Ts. and two 68A? tubes, wired, £6/10/-. Bendix 221T Freq. wore, £6/10/- Bendix 221T Freq. Meter with in-built p.s. and mod. £40. Panadaptor 455 Kc. input, 13 tubes plus a 5" c.c.o. tube, in metal cab. £30. Command VF.O., 7 Mc. £4/10/- L. A. Paul, 340 Rathmine St., Fairfield, Vic. (JJ 1823).

FOR SALE: Labgear wideband Coup

ONE only AT13 Transmitter complete with all tubes, in first class order throughout. Enquiries to Box 75, Coon-amble, N.S.W.

WANTED: One calibrated escutcheon to fit standard A.W.A. slow motion dial, used with A.W.A. Modulated Oscillator, Type 2J6726, six ranges, 140 Kc. to 30 Mc., £1. G. M. Bowen, 73 Portrush Rd., Toorak Gardens, S.A.

FOR SALE: BC348 Receiver, modified for s.c., as new, £35. J. Rooks, 27 Hill-view St., Sans Souci, N.S.W. (LW 7221).

FOR SALE: Prop. Feather. Motor. od. to suit beam. Two selsyn motors. mod. to suit beam. Two selsyn motors. £9 lot. 12v./sv. Motor Gen., suit portable rig, 30/-, ex-LF.F. L. W. Johnson, 17 Grovedale Rd., Surrey Hills. WF 2754.

COULD anyone supply circuit of G.E.C. RAX Receiver Type CG46117 (h.f. type 5-band 7-27 Mc.) or details of coil boxes. A. G. Loveday, Elimbah, Q.

AERIALS		
Antenna for the S.W.L		
Construction of a Cheap Beam		
Extended Lazy H Antenna	Oct.	p.5
Having Fun with "Skeleton		
Slots"	Apr.	p.3
Let's Build a Tower	Aug.	p.5
Lightning Protection for the		
Transmitting Antenna	Nov.	p.7
More About "Skelton Slots"	Oct.	p.9
"Skeleton Slot" Antenna		
Twin-Lead "Sprigs"	Apr.	D.9

AUDIO FREQUENCY EQUIPMENT AND DESIGN

Twin-Lead "Sprigs"

120 Watts of Audio Without Driving Power Aug. p.2 CONTEST RESULTS National Field Day, 1955 Sep. p.12 Ross A. Hull Memorial V.h.f.

Contest, 1954-55

1954 VK-ZL DX Contest

1955 Remembrance Day Con-July p.12 Jun. p.11 test Results Dec. p.12 DISPOSALS EQUIPMENT

Command Conversions for Five Bands Jan. p.2

ommand Receiver Roundur Feb. p2 Modification of MN26 Re-July p.5 ceivers . iple Conversion Amateur Band Receiver

Sep. p.8 MEASUREMENTS AND TEST EQUIPMENT

Sep. p.7 Aug. p.7

144 Mc. Heterodyne Frequency Feb. p.7 MISCELLANEOUS

Accurate Electronic Timer July p.7 Amateur Radioteletype Aug.p.17 You Complecent About TVI? Oct. p.15

A TRANSMITTER WITH LOW HARMONIC OUTPUT

flers. The writer took the different flament windings off and extended the primary winding to nearly twice the number of turns. So we now have the x 500v, winding on the primary side of the modulator and the new 2 x 220v. winding on the p.a. stage side. result is that fust the correct ratio was achieved to get never more than 95% modulation if the p.a. and modulator valves are connected to the same plate

small part of the modulator voltage is fed to the horizontal plates of

In Fig. 4 we see some switch positions for "c.w. or phone" operation to switch the filaments of all modulator amplifier valves and the scope off when working c.w. The "T or R" switch disconnects also the B plus of the receiver from the r.f. stages to prevent overloading. Here, too, the 1 megohm grid resistor of the r.f. stages limits grid current of the first receiver valve. Due to stray capacities around the transmitter antenna relay the co-ax antenna cable will still conduct some transmitter r.f. to the receiver. All wiring of modulator stages is done with shielded wire.

9		-	
	Bi-monthly Victorian Scramble Denmark Pays a Tribute to		p.12
	VK1EG	Apr.	p.13
	DX Countries of the World	Jan.	p.9
	Economical Relay Operation Handy Index to "AR" Tech-	Feb.	p.5
	nical Articles-1945-55	Dec.	p.6
	Have You Ever Gone Port-	Tues	- 0
	Hints and Kinks-	aun.	p.o
	Feeder Spreaders	Mar.	p.5
	Valve Sockets for EF50s Neutralising 6J6s	Mar.	p.5
	Weatherproofed Ribbon		
	Feedline 24 Volt Relays on 12 Volts	Apr.	p.9
	Stable Receiver Oscillator	Apr.	p.15
	Simple Code Practice Oscil-	****	
	lator	Jun.	p.10

Max Howden, VK3BQ Apr. p.11 Olympic Games Communica-tion Demonstration Nov.p.15 Pan Pacific Scout Jamboree Dec. p.10 Science in Antarctica Dec. p.2 Silicon Xtal Noise Generator Apr. p.7 Television Station Operators' Certificate of Proficiency Dec. p.14

Operated Control Unit Oct. p.10 Use of Electronic Valves
VK3 Awards for 100 V.h.f. Nov. p.9 Contacts
Who will be on the Air when
TV and TVI is on?
Worked All VK Call Areas
(WAVK.CA.) Award
Aviticle for "Am-Nov.p.15 Sep. p.2 May p.12

Writing an Article for "Am-ateur Radio" Feb. p.9 6146 Beam Power Amplifier Aug.p.12 RECEIVING Band Spreading and All That! Oct. p.7 Command Receiver Roundup .. Feb. p.2 Discussion of Receiver Performance May p.2 Low Noise R.F. Stage for 144 Apr. p.5 Modification of MN28 Re-

ceivers
Simple S Meter
S Meter Cruit
Triple Conversion Amateur
Band Receiver July p.5 Jan. p.7 Mar.p.13 V.h.f. Automatic Tuner 7 Mc. Mobile Converter TELEVISION Frequency Channels for Tele-

vision Stations Sep. p.5 Wobbulators - Sweep Generators Mar. p.2 TRANSMITTING

Anti TVI Filters for the Am-Nov.p.10 Conversions for Five Bands Jan. p.2

Transmitter With Low Har-monic Output-Part One Oct. p.2 Nov. p.2 Part Three
Wideband Audio Phase Shift
Networks, Part I. Part II.

Page 24

Homecra

AMATEURS' BARGAIN CENTRE

Test Equipment for Immediate Delivery

TAYLOR R.C. OSCILLATOR **TYPE 191A**

Covers Audio Ranges from 10 c.p.s. to 100,000 c.p.s. Fine and Coarse Attenuators. Sine or Square Wave Output. £56/9/3 plus tax.

ADVANCE R.C. OSCILLATOR

TYPE H.1 Covers Audio Ranges from 10 c.p.s. to 50,000 c.p.s. Sine or Square Wave Output. £41/10/- plus tax.

ADVANCE SIG. GENERATOR TYPE E-2

Covers Radio Frequencies from 100 Kc. to 100 Mc. External or Internal Modulation £46/8/6 plus tax.

ADVANCE SIG. GENERATOR

TYPE Q-1 Covers U.H. Frequencies from 7.5 Mc. to 250 Mc. £74/12/- plus tax.

TAYLOR MUTUAL CONDUCTANCE

VALVE CHECKER TYPE 45C

Will check every known type of Electronic Valve.

£49/3/6 plus tax.

PATON VCT-3 VALVE CHECKER AND MULTIMETER

£46/15/- plus tax.

PATON ET4 VALVE CHECKER

£37 plus tax.

PATON TV-M ELECTRONIC MILTIMETER £46/17/6 plus tax.

All Test Equipment Available on Hire Purchase

PATON M32 MILLTIMETER

£16/16/- plus tax

PATON M42 MULTIMETER £28/17/6 plus tax.

UNIVERSITY SIC. TRACER AND V.T. MILTIMETER TYPE A.S.T.

£60 plus tax.

UNIVERSITY VALVE AND CIRCUIT TESTER TYPE TST

£58 plus tax.

UNIVERSITY MULTIMETER

TYPE MVA-2 £16/16/- plus tax.

290 LONSDALE STREET, MELBOURNE

FB 3711



This Great Circle Bearing Map of the World is another service to Amateur Radio Operators from R. H. Cunningham Pty. Ltd. R. H. CUNNINGHAM PTY. LTD.

118 WATTLETREE ROAD, ARMADALE, S.E.3, VIC.

and 184 VICTORIA ROAD, DRUMMOYNE, N.S.W.